


COAST[®]

LIGHTS • KNIVES • MULTI-TOOLS



2015





April 2014 - Night hiking in the Oregon Dunes National Recreation Area.



LIGHTS • KNIVES • MULTI-TOOLS

COAST Products is a 96-year-old, family-owned company that produces LED lights, knives, and multi-tools for work, recreation, and everyday use.

COAST produces innovative, technologically advanced products backed by a lifetime warranty that makes the user's life safer, easier, and more enjoyable.



COAST warrants its COAST knives, tools and COAST LED lights to be free of defects in materials and workmanship for the life of the original purchaser. This warranty does not cover normal wear and tear, nor damage resulting from misuse or neglect. Warranty does not cover batteries and charging accessories (or damage caused by either).



David C. Brands — Owner, COAST Products

CONTENTS - 2015 **PRODUCTS & ACCESSORIES**

COAST LIGHT LAB	2	KNIFE TECHNOLOGY	66
HANDHELD LED LIGHTING TECHNOLOGY.....	4	LIGHT KNIFE.....	71
POLYSTEEL LED HANDHELD LIGHTS.....	16	KNIVES	72
RECHARGEABLE LED HANDHELD LIGHTS.....	20		
LED HANDHELD LIGHTS	26	LED MULTI-TOOL TECHNOLOGY.....	85
LED Handheld Light Accessories.....	45	LED MULTI-TOOLS.....	87
LED HEADLAMP TECHNOLOGY	48	DISPLAYS	90
LED HEADLAMPS	52		
LED EMERGENCY AREA LIGHT TECHNOLOGY	60	PRODUCT TECH INDEX	94
LED EMERGENCY AREA LIGHTS	64		

NOTE: The products in this catalog do not represent the set of products available in the EU. For that assortment, please refer to our 2015 EU Catalog. Listed specs are subject to updates at any time.

LIGHTING STANDARDS COAST LIGHT LAB & ANSI FL1


ANSI FL1

ANSI FL1 flashlight standards spell out very specific methods of testing for each feature under controlled laboratory conditions, and are meant to ensure that any light produced by any manufacturer that has adopted the standards can be easily compared for performance and features.

LIGHT OUTPUT




BEAM DISTANCE



RUN TIME



A quick FL1 primer: **LIGHT OUTPUT** is a measurement of how much light is being emitted. **BEAM DISTANCE** measures how far a beam projects a useful amount of light, measured at 0.25 lux (approximately the equivalent of light emitted from a full moon "on a clear night in an open field"). **RUN TIME** is how long a light will run with fresh batteries from 30 seconds after the light is turned on until the light output reaches 10% of the initial measurement.



COAST LIGHT SPHERE

Ever wonder how a COAST light gets its lumens rating? Our light sphere is the answer. Sophisticated technology for measuring sophisticated lights.

LAB TECH

The Light Lab requires constant surveillance to operate at its best. Our in-house Lab Tech knows the equipment and speaks the ANSI language.

COAST LIGHT LAB

ANSI FL1 flashlight standards require that lights be tested to exacting standards under certain conditions to produce accurate and useful results for the consumer. The COAST Light Lab allows us to test our lights accurately, efficiently, and with consistency. Just another case of COAST showing its commitment to quality.

Our Light Lab is one more reason why we say: **NOT JUST BRIGHTER...BETTER**



PROPER CONDITIONS


The COAST Light Lab has to operate within a certain set of parameters, including temperature, humidity, and equipment service life.

MORE TESTS

Setting up a test for the beam distance of a new COAST flashlight. Once all is set according to standards, the lab lights go out and the ANSI test begins.

HANDHELD LED LIGHTING TECHNOLOGY





OPTICS

CONTROLS

DESIGN


RECHARGEABLE
SYSTEMS

POLYSTEEL

Box
Big D
Key se
HONE
Big M
Valve

OPTICAL TECHNOLOGY FOCUSING OPTICS

PURE BEAM FOCUSING OPTIC




ENHANCED FIELD OF VIEW

Our largest, Ultra View Flood Beam and our Bulls-Eye Spot Beam with transition halo. The Bulls-Eye Spot provides good viewing up to 767 feet / 234 meters and the Ultra View Flood Beam provides a consistent circle of light up to 11 ½ feet / 3.5 meters in diameter at a distance of 6 feet / 1.8 meters.

[TECH VIDEO](#)


LONG RANGE FOCUSING OPTIC




ENHANCED DISTANCE

Our longest, X-Range Spot Beam and our Broad View Flood Beam. The X-Range Spot Beam provides good viewing up to 2240 feet / 683 meters and the Broad View Flood Beam provides a consistent circle of light up to 7 ½ feet / 2.3 meters in diameter at a distance of 6 feet / 1.8 meters.

[TECH VIDEO](#)


UNIVERSAL FOCUSING OPTIC




COMPACT SIZE

Designed to fit our smallest focusing lights, our Universal Focusing Optic provides a very broad, consistent flood beam and a long distance spot beam. The Max View Flood Beam provides a very consistent circle of light up to 8 feet / 2.4 meters in diameter at a distance of 6 feet / 1.8 meters and a long distance spot beam which provides good viewing up to 305 feet / 93 meters.

OPTICAL TECHNOLOGY | FIXED-BEAM OPTICS

BULLS-EYE SPOT BEAM



Consists of an extremely bright, centered "hot spot" and a very consistent transition halo.

Excellent for any type of work or recreation use, at a range up to 534 feet / 163 meters.



INSPECTION BEAM

Clear, consistent with a very defined edge. Excellent for up close technical work, reading and illuminating a defined area up to 30 feet / 9 meters.



UTILITY BEAM

Comprised of multiple individual light beams that overlap to create a broad, less defined light area that is brighter in the center and diffuses at the edges. A good general-use beam.




MINI-FLOOD

A more compact version of our Utility Beam with a brighter center and diffused edges. This beam is used on our smaller pocket lights, keychain lights and our LED knives and multi-tools.



DUAL COLOR, WHITE & RED

As the name suggests this is two beams in one light. Our all white Utility Beam combined with a red beam for use at night to prevent "night blinding" or for emergency signal use.



DUAL COLOR, WHITE & U.V.

This beam is two beams in one; our white Utility Beam and an ultraviolet beam for use in detecting fluid leaks or checking currency.



QUAD COLOR

White, red, blue, and green beams in one. Originally designed for the armed forces, these 4 color beams can be used for signaling, tracking game, on boats and hundreds of other uses.

BEAM CONTROLS

FOCUSING SYSTEMS

SLIDE FOCUS

Spot to flood light control at your fingertips. Shape your beam with the simple push or pull of your thumb.



BEAM LOCK

Lock the beam anywhere you want it. Twist left to lock the beam in place. Twist back to the right to release.



TWIST FOCUS

Twist the head of the light to move between a flood and a spot beam.




POWER CONTROLS

SWITCH SYSTEMS

QUICK-CYCLE SWITCH

Control your light power with the push of a button. Press once for full light power; press off and press on again for lower light power. In some models, press off once more and then on again for lowest light power. Certain lights also have a momentary switch—just partially depress the power button.

Some Coast lights include a special strobe feature. Once for full power; off/on again for strobe; off/on again for low light power.



COAST TAIL CAP DESIGN

Many of COAST's lights use a Quick-Cycle tail switch. A tail switch is a well-known feature in the tactical and professional markets, but not all users may be familiar with the design. One of the most common ways to hold a tail-switch light is in one's fist, with one's thumb to the rear, touching the switch. This allows the light to be held up-and-away from one's body, which can provide useful changes in both beam direction and elevation.

COAST's tail cap design also allows many of our lights to stand up straight for vertical lighting applications.

FRONT SWITCH

Easy one handed on / off activation using our metal power switch.




MULTI-SWITCH

Separate metal power switches for different color modes.



HANDHELD BUILD TECHNOLOGY
INTERNAL / EXTERNAL DESIGN
PURPOSE BUILT

COAST handheld lights are designed to provide both the internal and external functionality required to excel in their intended purposes. With innovative and patented technologies, as well as high-quality materials and finishing processes, COAST lights provide extraordinary function and value.





WEATHERPROOF
ALUMINUM OR
STAINLESS STEEL*
CONSTRUCTION

TAIL CAP (FRONT):
COAST Red Ring of Quality
Anti-roll lanyard attachment
Heavy-Duty O-Ring


TAIL CAP (REAR):
Ergonomic and recessed
power switch
Designed to allow light
to stand upright

GOLD-PLATED CONTACTS

BATTERY CARTRIDGE

Not all design features present on all lights.

*Some Coast handheld lights also use coating materials in their construction.



DURABLE

COAST handheld lights are manufactured to withstand constant use. Metal construction*, heavy duty O-rings, and custom battery cartridges are all built to provide longevity and durability.

RECHARGEABLE HANDHELD TECH

CHARGING / BATTERY SYSTEMS

FLEX CHARGE DUAL POWER

FEATURED ON:
 HP7R, HP5R, HP3R*, TX7R,
 A25R, A22R

TECH VIDEO



DUAL POWER

ALWAYS READY
 Also operates with standard
 alkaline batteries. Battery car-
 tridge and batteries included.

FLEX CHARGE

RECHARGEABLE
 BATTERIES
 Charge one while using
 the other (both included).



PRO-TEK CHARGING PORT

Slides for charging port access.



AC, DC, USB




Charge with AC, DC, or USB.
 All adapters included.

*HP3R battery cannot be charged outside of light.

PRO-FLEX CHARGING CAP


FEATURED ON:
 A9R, A8R

TECH VIDEO



To recharge,
 simply re-cap
 the light.

AC, DC, USB



Charge with AC, DC, or USB.
 All adapters included.




Overtime made brighter with COAST's Dual Power technology.

POLYSTEEL™
BUILD TECHNOLOGY & FEATURES
TOUGH TECH

Take a tough-as-nails stainless steel core, cover it in grip-textured poly-nylon, add a focusing, pure-beam optic, and then top it off with COAST's exceptional warranty and you have POLYSTEEL.

POLYSTEEL lights have passed the IPX8-level waterproof test while under 3 meters (9.9 feet) of water for 6 hours. POLYSTEEL lights have also passed the ANSI FL1 drop test from 3 meters in height. COAST has also done some real-world "tough testing," ultimately crushing a POLYSTEEL light under the track of a logging loader. The result? The light still on, doing its job.



TOUGH TEST VIDEOS


PURE BEAM FOCUSING OPTIC

Tough doesn't mean you have to skimp on features. All POLYSTEEL lights include COAST's patented Pure Beam Focusing Optic system for outstanding beam shape at all ranges.


TWIST FOCUS CONTROL

The same focusing system found on other high-end COAST flashlights allows the user to focus the POLYSTEEL beam by simply twisting the head of the light.

REAL-WORLD TOUGH TESTS



POLYSTEEL LED LIGHT TECHNOLOGY



POLY-NYLON OVER STAINLESS STEEL CORE

POLYSTEEL perfectly describes how these lights are constructed. COAST puts a fiberglass-reinforced polymer over a stainless steel core to create a flashlight capable of withstanding serious, professional level use. (NOTE: cutaway shown; poly covers entire handle area).



3-LEVEL REAR SWITCH

The rear power switch controls high / medium / low light settings to provide just the right beam intensity for the application.



LED HANDHELD LIGHTS





POLYSTEEL POLYSTEEL 600

Focusing LED Flashlight

Clam: 20767

Box: 20768

FL 1 STANDARD	HIGH	MEDIUM	LOW
	620 LUMENS	220 LUMENS	64 LUMENS
	234m	134m	74m
	2h	4h 30min	34h

- Poly-nylon over stainless steel core
- Length: 7.87 in.; Weight: 12 oz.
- Batteries: 4 x AA (included)
- Rated IPX8 WATERPROOF to 3 meters for 6 hours

Patent(s) info: www.coastportland.com/patents**POLYSTEEL** POLYSTEEL 400

Focusing LED Flashlight

Clam: 20765

Box: 20766

FL 1 STANDARD	HIGH	MEDIUM	LOW
	300 LUMENS	105 LUMENS	33 LUMENS
	194m	113m	62m
	1h	3h 15min	15h

- Poly-nylon over stainless steel core
- Length: 5.75 in.; Weight: 6.4 oz.
- Batteries: 4 x AAA (included)
- Rated IPX8 WATERPROOF to 3 meters for 6 hours

Patent(s) info: www.coastportland.com/patents**POLYSTEEL** POLYSTEEL 200

Focusing LED Flashlight

Clam: 20763

Box: 20764

FL 1 STANDARD	HIGH	MEDIUM	LOW
	250 LUMENS	87 LUMENS	26 LUMENS
	121m	68m	37m
	3h 30min	9h	35h

- Poly-nylon over stainless steel core
- Length: 5.0 in.; Weight: 4.1 oz.
- Batteries: 3 x AAA (included)
- Rated IPX8 WATERPROOF to 3 meters for 6 hours

Patent(s) info: www.coastportland.com/patents



**WATER
PROOF**

TOUGH TESTED INSPECTING TUGBOAT LINES IN SALTWATER.
THE RESULT: LIGHT STILL ON, DOING ITS JOB.



**CRUSH
PROOF**

TOUGH TESTED UNDER MOVING TRACK OF LOGGING LOADER.
THE RESULT: LIGHT STILL ON, DOING ITS JOB.



**DROP
PROOF**

TOUGH TESTED WITH A LADDER DROP ONTO MILL SAW.
THE RESULT: LIGHT STILL ON, DOING ITS JOB.

**RECHARGEABLE
LED HANDHELD LIGHTS**





COAST™ HP7R

COAST™ HP5R

HP7R RECHARGEABLE
Focusing LED Flashlight

Clam: N/A
Box: 19221

LITHIUM ION

FL 1 STANDARD	HIGH	LOW
	300 LUMENS	30 LUMENS
	352m	111m
	7h	33h

ALKALINE

FL 1 STANDARD	HIGH	LOW
	265 LUMENS	30 LUMENS
	326m	111m
	1h 45min	12h

- Flex Charge Dual Power
- Includes wall mount, speed clip, and heavy-duty sheath
- Length: 6.125 in.
- Weight: 7.2 oz.

Lens filter kit available. See page 46.



FLEX CHARGE



Charge with AC, DC, or USB. All adapters included.



Patent(s) info: www.coastportland.com/patents

DUAL POWER

Lithium Ion battery (2 included) or 4 x AAA alkaline (included).



HP5R RECHARGEABLE
Focusing LED Flashlight

Clam: N/A
Box: 19220

LITHIUM POLYMER

FL 1 STANDARD	HIGH	LOW
	185 LUMENS	19 LUMENS
	183m	56m
	4h 30min	14h

ALKALINE

FL 1 STANDARD	HIGH	LOW
	100 LUMENS	12 LUMENS
	127m	45m
	2h 30min	9h

- Flex Charge Dual Power
- Includes wall mount, speed clip, and heavy-duty sheath
- Length: 4.875 in.
- Weight: 2.6 oz.

Lens filter kit available. See page 46.



FLEX CHARGE



Charge with AC, DC, or USB. All adapters included.



Patent(s) info: www.coastportland.com/patents

DUAL POWER

Lithium Polymer battery (2 included) or 1 x AA alkaline (included).



HP3R RECHARGEABLE
Focusing LED Flashlight

Clam: N/A
Box: 20818

LITHIUM POLYMER

FL 1 STANDARD	HIGH	LOW
245 LUMENS	245 LUMENS	26 LUMENS
93m	93m	31m
1h 30min	1h 30min	6h

ALKALINE

FL 1 STANDARD	HIGH	LOW
86 LUMENS	86 LUMENS	10 LUMENS
55m	55m	19m
2h	2h	26h

- Flex Charge Dual Power
- Length: 5.8125 in.
- Weight: 1.8 oz.



FLEX CHARGE

*HP3R battery cannot be charged outside of light.



Charge* with AC, DC, or USB.
All adapters included.



May be covered by one or more patents:
www.coastportland.com/patents

DUAL POWER

Lithium Polymer battery (1 included)
or 2 x AAA alkaline (included).



TX7R RECHARGEABLE
Tactical Focusing LED Flashlight

Clam: N/A
Box: 20866


LITHIUM ION

FL 1 STANDARD	HIGH	LOW
325 LUMENS	325 LUMENS	366m
366m	366m	7h 30min
7h 30min	7h 30min	


ALKALINE

FL 1 STANDARD	HIGH	LOW
285 LUMENS	285 LUMENS	341m
341m	341m	1h 45min
1h 45min	1h 45min	


- Low-reflectivity gray finish
- Silicone grip-rings included
- Includes wall mount, speed clip, and heavy-duty sheath
- Length: 6.125 in.
- Weight: 7.5 oz.



FLEX CHARGE



Charge with AC, DC, or USB.
All adapters included.



Patent(s) info: www.coastportland.com/patents

DUAL POWER

Lithium Ion battery (2 included)
or 4 x AAA alkaline (included).



Lens filter kit available.
See page 46.

A25R RECHARGEABLE
Focusing LED Flashlight

Clam: N/A
Box: 19696


LITHIUM ION

FL 1 STANDARD	HIGH	LOW
	725 LUMENS	80 LUMENS
	208m	67m
	6h 45min	19h


ALKALINE

FL 1 STANDARD	HIGH	LOW
	515 LUMENS	64 LUMENS
	173m	62m
	2h	11h

- Flex Charge Dual Power
- Stainless steel casing
- Includes wall mount, speed clip, and heavy-duty sheath
- Length: 6.25 in.
- Weight: 10.4 oz.



FLEX CHARGE



Charge with AC, DC, or USB.
All adapters included.



Patent(s) info: www.coastportland.com/patents

DUAL POWER

Lithium Ion battery (2 included)
or 4 x AAA alkaline (included).



A22R RECHARGEABLE
Focusing LED Flashlight

Clam: N/A
Box: 19697


LITHIUM POLYMER

FL 1 STANDARD	HIGH	LOW
	340 LUMENS	36 LUMENS
	98m	31m
	3h 15min	10h


ALKALINE

FL 1 STANDARD	HIGH	LOW
	135 LUMENS	17 LUMENS
	60m	22m
	2h 30min	8h


- Flex Charge Dual Power
- Stainless steel casing
- Includes wall mount, speed clip, and heavy-duty sheath
- Length: 4.75 in.
- Weight: 4.6 oz.



FLEX CHARGE



Charge with AC, DC, or USB.
All adapters included.



Patent(s) info: www.coastportland.com/patents


DUAL POWER

Lithium Polymer battery (2 included)
or 1 x AA alkaline (included).




A9R RECHARGEABLE
Fixed-Beam LED Pen Light

Clam: N/A
Box: 19648




- Pro-Flex Charging Cap
- Stainless steel casing
- Includes pocket clip
- Length: 6.18 in.
- Weight: 2.1 oz.
- Battery type: Lithium Polymer (included)



PRO-FLEX CAP




Charge with AC, DC, or USB.
All adapters included.




May be covered by one or more patents:
www.coastportland.com/patents

A8R RECHARGEABLE
Fixed-Beam LED Pen Light

Clam: 20423
Box: 20341



- Pro-Flex Charging Cap
- Aluminum casing
- Includes pocket clip
- Length: 4.0 in.
- Weight: 0.4 oz.
- Battery type: Lithium Polymer (included)




PRO-FLEX CAP



Charge with AC, DC, or USB.
All adapters included.

LIGHTWEIGHT DESIGN



May be covered by one or more patents:
www.coastportland.com/patents



LED HANDHELD LIGHTS








COAST™ HP14

HP314

Focusing LED Flashlight

Clam: N/A

Box: 19732

FL 1 STANDARD	HIGH	LOW
	1132 LUMENS	95 LUMENS
	683m	185m
	4h 15min	192h

- Front switch
- Custom EVA carrying case
- Shoulder strap
- Length: 17.12 in.
- Weight: 3.1 lb.
- Batteries: 4 x D (included)



Includes custom-designed, EVA carrying case



WHEN YOU NEED THE BEST, TAKE THE HP314

Measuring over 17 inches long and throwing out over 1100 lumens of highly focused light, the HP314 is the pinnacle of all COAST lights. When the conditions demand it, nothing else will do.

NOT JUST BRIGHTER...BETTER


COAST[®]
LIGHTS • KNIVES • MULTI-TOOLS

29

HIGH PERFORMANCE LED HANDHELD LIGHTS



Patent(s) info: www.coastportland.com/patents



MAX RANGE OVER 1/3 MILE →

HP17



Focusing LED Flashlight

Clam: HP8417CP

Box: N/A

FL 1 STANDARD	HIGH	MEDIUM	LOW
	970 LUMENS	705 LUMENS	41 LUMENS
	479m	410m	97m
	8h	10h	200h

- Length: 13.12 in.
- Weight: 1.9 lb.
- Front switch
- Batteries: 3 x D (included)



Patent(s) info: www.coastportland.com/patents



HP17TAC

Focusing LED Flashlight

Clam: N/A

Box: 19281

FL 1 STANDARD	HIGH	LOW
	885 LUMENS	35 LUMENS
	476m	97m
	8h	200h

- Length: 13.12 in.; Weight: 1.9 lb.
- All-black casing
- Front switch
- Batteries: 3 x D (included)



Patent(s) info: www.coastportland.com/patents



NOT JUST BRIGHTER...BETTER

HP14

Focusing LED Flashlight

Clam: HP8414CP

Box: 19280

FL-1 STANDARD	HIGH	MEDIUM	LOW
	629 LUMENS	252 LUMENS	52 LUMENS
	248m	148m	67m
	1h 30min	15h	56h

- Length: 8.38 in.
- Weight: 14.2 oz.
- Heavy-duty sheath (box only)
- Batteries: 4 x AA (included)



HIGH PERFORMANCE LED HANDHELD LIGHTS

Patent(s) info: www.coastportland.com/patents



On the job using our patented Pure Beam Optic with Ultra View Flood.

HP7

Focusing LED Flashlight

Clam: HP8407CP
Box: 19279

FL 1 STANDARD	HIGH	MEDIUM	LOW
	360 LUMENS	211 LUMENS	50 LUMENS
	226m	162m	75m
	1h 45min	7h 15min	19h

- Length: 5.58 in.
- Weight: 7.2 oz.
- Heavy-duty sheath (box only)
- Batteries: 4 x AAA (included)



Lens filter kit available.
See page 46.



Patent(s) info: www.coastportland.com/patents

HP5

Focusing LED Flashlight

Clam: HP8405CP
Box: 19277

FL 1 STANDARD	HIGH	LOW
	145 LUMENS	19 LUMENS
	89m	30m
	4h 30min	9h

- Length: 4.65 in.
- Weight: 3.0 oz.
- Heavy-duty sheath (box only)
- Batteries: 1 x AA (included)



Lens filter kit available.
See page 46.



Patent(s) info: www.coastportland.com/patents


HP4

Fixed-Beam LED Flashlight

Clam: HP8404CP
Box: 19276

FL 1 STANDARD		
100 LUMENS	55m	3h 30min

- Length: 5.54 in.
- Weight: 2.2 oz.
- Includes pocket clip
- Batteries: 2 x AAA (included)



HP3

Focusing LED Flashlight

Clam: 19534
Box: 19535

FL 1 STANDARD	HIGH	LOW
	105 LUMENS	5 LUMENS
	62m	13m
	2h 15min	3h 30min

- Length: 5.75 in.
- Weight: 2.0 oz.
- Includes pocket clip
- Batteries: 2 x AAA (included)



May be covered by one or more patents:
www.coastportland.com/patents

HP2

Focusing LED Flashlight

Clam: 19532
Box: 19533

FL 1 STANDARD		
	85 LUMENS	
	54m	2h 45min

- Length: 4.0 in.
- Weight: 1.4 oz.
- Includes pocket clip
- Batteries: 1 x AAA (included)



May be covered by one or more patents:
www.coastportland.com/patents

HX5

Focusing LED Flashlight

Clam: 20769
Box: 20770

FL 1 STANDARD	ALKALINE	NiMH	Li-Ion
	130 LUMENS	125 LUMENS	345 LUMENS
	79m	77m	130m
	3h 45min	1h 15min	45min

- Length: 4.0 in.
- Weight: 2.5 oz.
- Includes pocket clip
- Batteries: 1 x AA alkaline (included)
- Can also use NiMH or Li-Ion 14500 batteries (not included)

2-WAY CLIP



MULTI BATTERY-TYPE READY



Patent(s) info: www.coastportland.com/patents



September 2013 - Lighting up the night in Arches National Park.




PX25

Fixed-Beam LED Flashlight

Clam: TT7736CP

Box: 19270



- Length: 4.7 in.
- Weight: 4.2 oz.
- Heavy-duty sheath (box only)
- Batteries: 3 x AAA (included)



Lens filter kit available.
See page 46.




Patent(s) info: www.coastportland.com/patents

PX20

DUAL-Color LED Flashlight


Clam: 19286

Box: 19271



- RED helps preserve night vision/ reduces glare
- Length: 3.95 in.
- Weight: 3.2 oz.
- Heavy-duty sheath (box only)
- Batteries: 3 x AAA (included)

6 LED Dual-Color
(5 white; 1 red)




May be covered by one or more patents:
www.coastportland.com/patents

PX10

DUAL-Color LED Flashlight


Clam: N/A

Box: 19269



- U.V. for inspection
- Length: 3.95 in.
- Weight: 3.0 oz.
- Heavy-duty sheath (box only)
- Batteries: 3 x AAA (included)

6 LED Dual-Color
(3 white; 3 U.V.)



May be covered by one or more patents:
www.coastportland.com/patents




April 2014, Coos Bay, Oregon - Tugboat crew at work with the PX20.

TX100

TRI-Color LED Flashlight

Clam: 20856

Box: 20321

FL 1 STANDARD	WHITE	BLUE	RED
	125 LUMENS	37 LUMENS	39 LUMENS
	96m	40m	39m
	13h	14h	14h

- Conforms to certain MIL-STD-810 standards
- Waterproof casing
- RED helps preserve night vision; BLUE for tracking
- Length: 5.9 in.; Weight: 4.8 oz.
- Batteries: 2 x AA (included)



3 HIGH-POWER LEDs






May be covered by one or more patents:
www.coastportland.com/patents

TX40


Fixed-Beam LED Flashlight

Clam: TT7736TSCP

Box: 19272

FL 1 STANDARD		
		
235 LUMENS	163m	1h 45min

- All-black casing
- Boxed light includes standard-duty sheath
- Length: 5.94 in.
- Weight: 5.4 oz.
- Batteries: 3 x AAA (included)



Tactical mounting accessories available for TX40 light. See page 46.



Patent(s) info: www.coastportland.com/patents

US C-SOG and STL Joseph Garcia during live-fire training with COAST TX40.

TX10

QUAD-Color LED Flashlight

Clam: TT77364CP
Box: N/A

FL 1 STANDARD		
80 LUMENS	33m	9h 45min

- RED helps preserve night vision/ reduces glare
- GREEN for reading at night
- BLUE for blood tracking
- Length: 3.95 in.
- Weight: 3.0 oz.
- Batteries: 3 x AAA (included)



6 LEDs
(3 white LEDs; 1 each red, blue and green LEDs)



May be covered by one or more patents:
www.coastportland.com/patents

TX3

Focusing LED Flashlight

Clam: 19810
Box: N/A

FL 1 STANDARD	HIGH	LOW
	75 LUMENS	30 LUMENS
	85m	18m
	3h 15min	4h 45min

- Length: 5.75 in.
- Weight: 2.2 oz.
- Batteries: 2 x AAA (included)




Patent(s) info: www.coastportland.com/patents



G50

Focusing LED Flashlight

Clam: TT8607CP
Box: N/A



- Length: 4.8 in.
- Weight: 5.8 oz.
- Batteries: 3 x AAA (included)




Patent(s) info: www.coastportland.com/patents

G45

Fixed-Beam LED Flashlight

Clam: TT7345SCP
Box: N/A



- Length: 4.6 in.
- Weight: 3.6 oz.
- Batteries: 3 x AAA (included)




6 LEDs



G26

Fixed-Beam LED Flashlight

Clam BLK: 19680
Box BLK: N/A
Clam SIL: 19807
Box SIL: N/A



- Length: 6.05 in.
- Weight: 3.6 oz.
- Batteries: 2 x AA (included)




4 LEDs




G20

Fixed-Beam LED Pen Light

Clam: TT7817CP
Box: 19304




- Includes pocket clip
- Length: 5.65 in.
- Weight: 2.4 oz.
- Batteries: 2 x AAA (included)



G19

Fixed-Beam LED Pen Light

Clam: 19384
Box: 19490



- Includes pocket clip
- Length: 4.02 in.
- Weight: 2.0 oz.
- Batteries: 1 x AAA (included)




Crisp, even, and sized just right: COAST's Inspection Beam.

G15

Fixed-Beam LED Clip Light

Clam: TT75331CP
Box: N/A



- Spring-loaded mounting clip
- Length: 3.7 in.
- Weight: 1.5 oz.
- Batteries: 1 x AAA (included)




Spring-loaded mounting clip has ball-joint for easily positioning light where you need it

G10

Fixed-Beam LED Pocket Light

Clam BLK: TT7830CP
Box BLK: N/A
Clam SIL: TT7831CP
Box SIL: N/A




- Length: 3.7 in.
- Weight: 1.2 oz.
- Batteries: 1 x AAA (included)



G5

Fixed-Beam LED Pocket Light

Clam SIL: TT7839CP
Box SIL: N/A
Clam BLK: 19781
Box BLK: N/A



- Includes keyring attachment
- Length: 2.45 in.
- Weight: 0.4 oz.
- Batteries: 4 x AG5 (included)



A20

Fixed-Beam LED Flashlight

Clam: N/A
Box: 19267

FL 1 STANDARD		
171 LUMENS	64m	6h 15min

- Stainless steel casing
- Includes heavy-duty sheath
- Length: 3.67 in.
- Weight: 4.4 oz.
- Batteries: 3 x AAA (included)



6 LEDs




A15

Fixed-Beam LED Flashlight

Clam: N/A
Box: 19266

FL 1 STANDARD	HIGH	LOW
330 LUMENS	49 LUMENS	
131m	50m	
2h 45min	21h	

- Stainless steel casing
- Includes heavy-duty sheath
- Length: 3.9 in.
- Weight: 5.0 oz.
- Batteries: 3 x AAA (included)



Patent(s) info: www.coastportland.com/patents



Stainless A-Series lights are ideal for automotive work.

A10

Fixed-Beam LED Flashlight

Clam: N/A
Box: 19246



- Stainless steel casing
- Includes pocket clip
- Length: 5.48 in.
- Weight: 3.2 oz.
- Batteries: 2 x AAA (included)




Patent(s) info: www.coastportland.com/patents

A9

Fixed-Beam LED Pen Light

Clam: N/A
Box: 19335



- Stainless steel casing
- Includes pocket clip
- Length: 7.03 in.
- Weight: 2.1 oz.
- Batteries: 3 x AAAA (included)




May be covered by one or more patents:
www.coastportland.com/patents

A5

Fixed-Beam LED Pen Light

Clam: N/A
Box: 19245



- Stainless steel casing
- Includes pocket clip
- Length: 3.74 in.
- Weight: 2.0 oz.
- Batteries: 1 x AAA (included)



Patent(s) info: www.coastportland.com/patents

HP7R / A25R USB Battery

Item: 19704

- Rechargeable Lithium Ion battery with USB connection



HP7R / A25R Battery Cartridge

Item: 19726

- Battery cartridge for AAA alkaline batteries (batteries not included)



HP5R / A22R USB Battery

Item: 19703

- Rechargeable Lithium Polymer battery with USB connection



HP3R USB Battery

Item: 20854

- Rechargeable Lithium Polymer battery



A9R Battery

Item: 19698

- Rechargeable Lithium Polymer battery



A8R Battery

Item: 20349

- Rechargeable Lithium Polymer battery



DC Adapter for Rechargeable Lights

Item: 19700

- DC adapter designed for 12V outlet



AC Adapter for Rechargeable Lights

Item: 19699

- AC adapter design for U.S. outlet



A8R/A9R Pro-Flex Charging Cable

Item: 19701

- USB to Pro-Flex Charging Cap cable



USB Cable for Flex Charge

Item: 19702

- USB cable for connecting Flex Charge batteries to power adapter



LF50 Lens Filter Kit

Item: 20415

- Rubber bezel cover fits HP6, HP5, HP5R, PX25, HL56, and HL46
- Includes 4 colored filters plus clear



LF100 Lens Filter Kit

Item: 20186

- Rubber bezel cover fits HP7R, HP7, HP7TAC, PX45, TX40, G40, G35, and HL8
- Includes 4 colored filters plus clear



Universal / Piccatiny Rail Mount

Item: TT7733RMCP

Fits lights with barrel diameters from 0.78 to 1.0 inch.



Pressure Switch

Item: TT7733TSCP

For use with TX40 light only



November 2014 - COAST's TX40 mounted and ready with US C-SOG.




LED HEADLAMPS





OPTICAL TECHNOLOGY FOCUSING OPTIC

PURE BEAM FOCUSING OPTIC




ENHANCED FIELD OF VIEW

Our largest, Ultra View Flood Beam and our Bulls-Eye Spot Beam with transition halo. The Bulls-Eye Spot provides good viewing up to 711 feet / 217 meters and the Ultra View Flood Beam provides a consistent circle of light up to 12 feet / 3.6 meters in diameter at a distance of 6 feet / 1.8 meters.

[TECH VIDEO](#)


OPTICAL TECHNOLOGY FIXED-BEAM OPTICS

BULLS-EYE SPOT BEAM


[TECH VIDEO](#)


Consists of an extremely bright, centered "hot spot" and a very consistent transition halo.

Excellent for any type of work or recreational use, at a range up to 390 feet / 119 meters.



UTILITY BEAM

Comprised of multiple individual light beams that overlap to create a broad, less defined light area that is brighter in the center and diffuses at the edges. A good general use, all-purpose beam.

[TECH VIDEO](#)


DUAL COLOR, WHITE & RED

Two beams in one light: our all-white Utility Beam combined with a lower-intensity red flood beam. The red beam is for use at night to prevent "night blinding" or for emergency signal use.

[TECH VIDEO](#)


LIGHT CONTROLS **SHAPING & DIMMING**

BEAM SHAPING

The Twist Focus Ring makes it easy to go from Ultra View Flood Beam to Bulls-Eye Spot.



VARIABLE LIGHT CONTROL TECHNOLOGY (VLT)

COAST headlamps offer three ways to control light output.



CONTROL WHEEL

Light output at your fingertips. Our patent-pending headlamp light-control system uses a sensor that detects a magnetic field. In the Light Output Control Wheel we use a specialized circuit to control light output based on the positioning of the magnet. The advantages are numerous – it allows for easy one handed operation, it is more weatherproof and durable because the controls are encased in the dial, and it is more ergonomic because you can power the light on and off while simultaneously controlling light output. *Available on HL27.*



LIGHT DIAL

Positioned on the side of the bezel of the headlamp, the Light Dial allows for quickly controlling your light output at the turn of a knob. *Available on HL8.*



CONTROL LEVER

Positioned on the back of some of our headlamps, rotate the lever for effortless one-handed light output. *Available on HL6, HL7, HL7R.*



HINGED BEAM ADJUSTMENT

ALL COAST headlamps include a hinged, tilting head to let you adjust direction of the light beam.



HARDHAT COMPATIBILITY

Certain COAST headlamps include clips for hardhat compatibility.

ADDITIONAL TECHNOLOGY



April 2014 - Night hiking in the Oregon Dunes National Recreation Area.



HL8

Focusing LED Headlamp

Clam: 19336

Box: 19649

FL 1 STANDARD	HIGH	MEDIUM	LOW
	390 LUMENS	120 LUMENS	25 LUMENS
	217m	121m	55m
	2h	7h 30min	83h

- Z-cord in headband
- 3-foot extension cord for battery pack
- Hardhat clips
- Weight: 12.8 oz.
- Batteries: 4 x AA (included)

LED HEADLAMPS

The HL8's extension cord allows remote mounting of the battery-pack.



LIGHT OUTPUT CONTROL DIAL



Patent(s) info: www.coastportland.com/patents



Lens filter kit available.
See page 46.



HARDHAT COMPATIBLE



HL27

Focusing LED Headlamp

Clam: 19722

Box: 19721

FL 1 STANDARD	HIGH	LOW
	330 LUMENS	1 LUMENS
	129m	7m
	8h 30min	93h

- Dial in your run-time with the Light Output Control Wheel
- Z-cord in headband
- Hardhat clips
- Weight: 6.9 oz.
- Batteries: 3 x AA (included)




REMOVABLE TOP STRAP



LIGHT OUTPUT CONTROL WHEEL

Patent(s) info: www.coastportland.com/patents



HARDHAT COMPATIBLE

LED HEADLAMPS



HL7R RECHARGEABLE

Focusing LED Headlamp

Clam: TT7498CP
Box: 19274

FL 1 STANDARD	HIGH	LOW
	240 LUMENS	4 LUMENS
	104m	13m
	1h 30min	40h

- Z-cord in headband
- AC/USB rechargers (included)
- Hardhat clips
- Weight: 4.4 oz.
- Batteries: 3 Ni-MH rechargeable (included)

HL7R USB / AC Charger

Item: 19936

- AC adapter design for U.S. outlet



Patent(s) info: www.coastportland.com/patents

HL7

Focusing LED Headlamp

Clam: 19284
Box: 19273

FL 1 STANDARD	HIGH	LOW
	285 LUMENS	4 LUMENS
	119m	13m
	1h 30min	70h

- Z-cord in headband
- Hardhat clips
- Weight: 4.4 oz.
- Batteries: 3 x AAA (included)



Patent(s) info: www.coastportland.com/patents

HL6

Fixed-Beam LED Headlamp

Clam: TT7468CP
Box: 19268

FL 1 STANDARD	HIGH	LOW
	285 LUMENS	4 LUMENS
	119m	13m
	1h 30min	70h

- Z-cord in headband
- Hardhat clips
- Weight: 4.2 oz.
- Batteries: 3 x AAA (included)



HARDHAT COMPATIBLE



Patent(s) info: www.coastportland.com/patents

HL55

Fixed-Beam LED Headlamp

Clam: 19995
Box: N/A

FL 1 STANDARD	HIGH	LOW
	225 LUMENS	36 LUMENS
	51m	20m
	2h	28h

- Light output control via front power button
- Hardhat clips
- Weight: 4.7 oz.
- Batteries: 3 x AAA (included)



HARDHAT COMPATIBLE






May be covered by one or more patents:
www.coastportland.com/patents

HL44

DUAL-Color LED Headlamp

Clam: 19994


Box: N/A

FL 1 STANDARD	HIGH	LOW
	210 LUMENS	35 LUMENS
	46m	19m
	3h	30h

- Light output control via front power button
- Hardhat clips
- Weight: 4.7 oz.
- Batteries: 3 x AAA (included)



HARDHAT COMPATIBLE

8 LEDs
(7 white; 1 red)




May be covered by one or more patents:
www.coastportland.com/patents

HL5

Fixed-Beam LED Headlamp

Clam: TT7041CP

Box: 19351

FL 1 STANDARD		
		
175 LUMENS	56m	3h 15min

- Batteries: 3 x AAA (included)
- Weight: 4.4 oz.



6 LEDs






HL4

DUAL-Color LED Headlamp

Clam: 19291

Box: N/A

FL 1 STANDARD

 145 LUMENS	 50m	 4h
----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------

- Batteries: 3 x AAA (included)
- Weight: 4.4 oz.



6 LEDs
(5 white; 1 red)

	
UTILITY BEAM	RED




HL3

Fixed-Beam LED Headlamp

Clam: TT7454CP

Box: N/A

FL 1 STANDARD

 100 LUMENS	 39m	 5h
------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------

- Batteries: 3 x AAA (included)
- Weight: 4.4 oz.



3 LEDs


UTILITY BEAM



EMERGENCY AREA LIGHTS



EAL TECHNOLOGY

LIGHTING MODES & DURABILITY

LIGHT MODES

**HIGH**

The brightest light across the broadest area.

**MEDIUM**

A balance of light intensity and battery life.

**ENERGY SAVING**

Longest battery life.

**SOLID RED**

For preserving night vision and reducing glare.

**FLASHING RED**

A signal light or emergency beacon.

COAST's EAL multi-mode technology allows the user to quickly adjust from energy conserving low light output to area-illuminating high output to anywhere in between. For emergency or night vision purposes switch to solid red mode or flashing red.

LONGEVITY



COAST's EAL energy-efficient LED technology provides users with up to 10 nights of light on one set of batteries, which can be critical in emergency situations, extended power outages and when batteries are in short supply.



Whether you choose the EAL12 (up to 38 hours of light on one set of batteries), or the big EAL20 (up to 80 hours of light on one set of batteries), you can be assured of advanced energy saving technology.

WEATHERPROOF



High-quality materials and durable construction give COAST lanterns excellent weather resistance, making them great for use in emergency situations where there is inclement weather: rain, snow or wind.

EAL TECHNOLOGY LIGHT CONTROLS


LIGHT DIAL

TURN DIAL TO SELECT LIGHT OUTPUT MODE

PUSH FOR POWER

LIGHT MODES


Go from high to energy saving via a dimmer, solid red and flashing red. Just dial-in what you need.



BATTERY LIFE INDICATOR

Makes it quick and easy to know how much battery life remains: green = full; red = empty


FEATURED ON EAL20



SMART SWITCH


CYCLE THROUGH TO OPTIMAL LIGHT MODE

5-MODE



HIGH, MEDIUM, ENERGY SAVING, SOLID RED, FLASHING RED

4-MODE



ENERGY SAVING, HIGH, SOLID RED, FLASHING RED



EAL20


Emergency Area Light

Clam: N/A

Box: CE7124HGB

- Light output control: Coast Light Dial
- Battery-life indicator built into Light Dial
- Handle allows easy hanging or carrying
- 5-year warranty
- Height: 8.25 in.; Weight: 36.5 oz.
- Batteries: 4 x D (not included)

UP TO 80 HOURS RUN-TIME



Patent(s) info: www.coastportland.com/patents

EAL17

Emergency Area Light

Clam: N/A



Box: 20324

- Coast Smart Switch
- Handle allows easy hanging or carrying
- Light module protected by wire frame
- 5-year warranty
- Height: 9.9 in.; Weight: 45.4 oz.
- Batteries: 4 x D (not included)

UP TO 50 HOURS RUN-TIME



HIGH: 30 hours
LOW: 50 hours




EAL15



Emergency Area Light

Clam: C7050CP
Box: N/A

- Coast Smart Switch
- Handle allows easy hanging or carrying
- Light module protected by wire frame
- 5-year warranty
- Height: 7.5 in.; Weight: 16 oz.
- Batteries: 4 x C (not included)

UP TO 50 HOURS RUN-TIME

 **HIGH: 15 hours**
MEDIUM: 33 hours
LOW: 50 hours



EAL12



Emergency Area Light

Clam: N/A
Box: 20325

- Coast Smart Switch
- Handle allows easy hanging or carrying
- 5-year warranty
- Height: 6.125 in.; Weight: 11 oz.
- Batteries: 4 x AA (not included)

UP TO 38 HOURS RUN-TIME

 **HIGH: 22 hours**
LOW: 38 hours




KNIVES





KNIFE TECHNOLOGY
BLADE-ASSIST & MAX-LOCK


A simple push of the thumb = **OPEN NOW!**


BLADE-ASSIST


BLADE-ASSIST



COAST's blade-assist knives possess superior technology that uses a patented opening mechanism. This results in blades that release faster, smoother, and safer than other blade assist knives on the market.

TECH VIDEO


MAX-LOCK


MAX-LOCK



Safer than standard Liner-Lock knives, COAST's patented Max-Lock technology provides a second lock system. This safeguard secures the blade closed and double locks the Liner-Lock when open.

KNIFE TECHNOLOGY


BLADE LOCKS



U.S. Patent 5,596,808



DOUBLE LOCK



COAST's patented Double Lock safety switch mechanism works in conjunction with a primary Liner-Lock to prevent disengagement. It includes a safety detent-action that is fully adjustable.



LINER-LOCK



The knife's liner also doubles as a lock providing a very easy to use safe locking mechanism. Can be open and closed with one hand.



FRAME-LOCK



The knife's frame system also doubles as a lock providing a very easy to use and safe locking system. Can be opened and closed with one hand.



LOCKBACK



The lock mechanism is located on the back of the knife. The spring is easy to access and easy to open and close.



KNIFE TECHNOLOGY MATERIALS

BLADE STEELS

Using only High-Carbon stainless steels, COAST blades are designed for ultimate hardness and durability. By treating the blades both with heat and severe cold (-320 degrees Fahrenheit / -195 degrees Celsius), the toughness is even further guaranteed.

COAST does not simply use the same steels for all of the blades though. Each blade is carefully crafted to suit the intended uses. Higher carbon grades of stainless steel are found in hunting and military blades for longer edge retention, while hardworking and everyday blades will sharpen more easily.



HANDLE MATERIALS

G10: Composite materials created by compressing layer of fibrous materials with liquid resin under extreme pressure. COAST G10 handles include a steel support for durability.

ALUMINUM: Lightweight yet strong, with a secure grip that comes from surface texturing.


NYLON with FIBERGLASS FILL: For a handle with a contoured shape, this is nearly indestructible and very lightweight.

NATURAL WOOD: Impregnated with high-strength resin under extreme pressure, making it extremely durable and chemical resistant.



LIGHT KNIFE

COAST OPTIC + COAST BLADE



LIGHT KNIFE

NEW FOR 2015

The LK375 combines our long history in the knife business with our industry leading LED technology to create a high-powered flashlight built right into the handle of the knife.

Running on a AAA battery and offering 110 lumens of output, the LK375 is a "real deal" flashlight. And the serrated 3.75-inch blade serves well for a wide range of tasks.



LINER-LOCK



MINI-FLOOD



LK375

Light Knife

Clam: 20794

Box: 20793

- Blade: 7Cr17 stainless steel
- Handle: Polycarbonate over stainless steel liner; pocket clip
- Length: 3.75 in. blade; 8.5 in. overall
- Weight: 5.2 oz.
- Batteries: 1 x AAA (included)



U.S. patents pending



COAST knives. A staple in any spec-ops kit.

TX399

SPEC-OPS Tactical Folding Knife

Clam: 20825
Box: 20826

- 9Cr18Mov stainless steel blade
- Titanium Nitride coating
- Handle: Fiberglass reinforced nylon on stainless steel frame
- 2-position pocket clip
- Length: 3.9 in. blade
- 8.9 in. overall
- Weight: 3.7 oz.



TX395

SPEC-OPS Tactical Folding Knife

Clam: 20845
Box: 20846

- 9Cr18Mov stainless steel blade
- Titanium Nitride coating
- Handle: Fiberglass reinforced nylon on stainless steel frame
- 3-position pocket clip
- Length: 3.9 in. blade
- 8.9 in. overall
- Weight: 7.7 oz.



TX360

SPEC-OPS Tactical Folding Knife

Clam: 20847
Box: 20848

- 9Cr18Mov stainless steel blade
- Titanium Nitride coating
- Handle: Checkered, fiberglass reinforced nylon on stainless steel frame
- 2-position pocket clip
- Length: 3.35 in. blade
- 7.875 in. overall
- Weight: 3.3 oz.



RX350

Blade-Assist Folding Knife

Clam: 20822
Box: 20823

- Super-fast assisted opening
- Blade: 7Cr17 stainless steel
- Handle: Textured fiberglass-filled nylon on stainless steel frame
- 3-position pocket clip
- Length: 3.625 in. blade; 8.5 in. overall
- Weight: 5.4 oz.



MAX-LOCK

RON
LAKE
DESIGN

BLADE-ASSIST

RON
LAKE
DESIGN

PUSH OPEN

U.S. Patents 7,827,697 & 7,854,067

RX300

Blade-Assist Folding Knife

Clam: 20857
Box: 20858

- Super-fast assisted opening
- Blade: 7Cr17 stainless steel
- Handle: Textured fiberglass-filled nylon on stainless steel frame
- 3-position pocket clip
- Length: 3.0 in. blade; 7.125 in. overall
- Weight: 4.8 oz.



MAX-LOCK

RON
LAKE
DESIGN

BLADE-ASSIST

RON
LAKE
DESIGN

PUSH OPEN

U.S. Patents 7,827,697 & 7,854,067

Master knife maker Ron Lake reviewing his blade-assist design.

DX356

Double Lock Folding Knife

Clam: 19918
Box: 19919

- Blade: 9Cr17Mov stainless steel
- Handle: Checkered G10 on stainless steel frame
- Pocket clip
- Length: 3.5 in. blade; 8.125 in. overall
- Weight: 5.2 oz.



DOUBLE LOCK

U.S. Patent 5,596,808



DX355

Double Lock Folding Knife

Clam: 19916
Box: 19917

- Blade: 9Cr17Mov stainless steel
- Handle: Checkered G10 on stainless steel frame
- Pocket clip
- Length: 3.5 in. blade; 8.125 in. overall
- Weight: 5.2 oz.



DOUBLE LOCK

U.S. Patent 5,596,808



DX350

Double Lock Folding Knife

Clam: 19357
Box: 19358

- Blade: 7Cr17 stainless steel
- Handle: Machined G10 on stainless steel frame
- Deep-carry, 3-position pocket clip
- Length: 3.5 in. blade; 8.25 in. overall
- Weight: 5.0 oz.



DOUBLE LOCK

U.S. Patent 5,596,808



DX345

Double Lock Folding Knife

Clam: 19339
Box: 19340

- Blade: 7Cr17 stainless steel
- Handle: Machined G10 on stainless steel frame
- Deep-carry, 3-position pocket clip
- Length: 3.5 in. blade; 8.25 in. overall
- Weight: 5.0 oz.



DOUBLE LOCK

U.S. Patent 5,596,808



DX340

Double Lock Folding Knife

Clam: C19CP

Box: C19

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on double stainless steel frame / liners
- 3-position pocket clip
- Length: 3.5 in. blade; 8.3125 in. overall
- Weight: 4.0 oz.



DOUBLE LOCK



U.S. Patent 5,596,808



DX338

Double Lock Folding Knife

Clam: 20808

Box: 20809

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- 3-position pocket clip
- Length: 3.5 in. blade; 8.5 in. overall
- Weight: 3.8 oz.



DOUBLE LOCK



U.S. Patent 5,596,808



DX330

Double Lock Folding Knife

Clam: 19307

Box: 19308

- Blade: 7Cr17 stainless steel
- Handle: Grip-textured aluminum
- Deep-carry pocket clip
- Length: 3.25 in. blade; 8.12 overall
- Weight: 4.2 oz.



DOUBLE LOCK



U.S. Patent 5,596,808



DX325

Double Lock Folding Knife

Clam: 19305

Box: 19306

- Blade: 7Cr17 stainless steel
- Handle: Aluminum handle/frame
- 3-position pocket clip
- Length: 3.25 in. blade; 8.12 in. overall
- Weight: 4.2 oz.



DOUBLE LOCK



U.S. Patent 5,596,808



DX320

Double Lock Folding Knife

Clam: 19313
Box: 19314

- Blade: 7Cr17 stainless steel
- Handle: Aluminum handle/frame
- Deep-carry pocket clip
- Length: 3.25 in. blade; 8.0 in. overall
- Weight: 3.9 oz.



DOUBLE LOCK

U.S. Patent 5,596,808



DX315

Double Lock Folding Knife

Clam: 19311
Box: 19312

- Blade: 7Cr17 stainless steel
- Handle: Aluminum handle/frame
- Deep-carry pocket clip
- Length: 3.25 in. blade; 7.87 in. overall
- Weight: 3.8 oz.



DOUBLE LOCK

U.S. Patent 5,596,808



DX312

Double Lock Folding Knife

Clam: 19555
Box: 19556

- Blade: 7Cr17 stainless steel
- Handle: Checkered laminated wood on stainless steel frame
- Deep-carry pocket clip
- Length: 3.35 in. blade; 7.75 in. overall
- Weight: 3.6 oz.



DOUBLE LOCK

U.S. Patent 5,596,808



DX311

Double Lock Folding Knife

Clam: CG006CP
Box: CG006

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- 3-position pocket clip
- Length: 3.35 in. blade; 7.75 in. overall
- Weight: 3.2 oz.



DOUBLE LOCK

U.S. Patent 5,596,808



LX337

Liner-Lock Folding Knife

Clam: 20074

Box: 20075

- Blade: 7Cr17 stainless steel blade
- Handle: Ribbed fiberglass-filled nylon on stainless steel frame
- Deep-carry pocket clip
- Length: 3.25 in. blade; 7.75 in. overall
- Weight: 4.1 oz.



LINER-LOCK



LX330

Liner-Lock Folding Knife

Clam: 19587

Box: 19588

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- Deep-carry pocket clip
- Length: 3.75 in. blade; 8.75 in. overall
- Weight: 3.7 oz.



LINER-LOCK



LX325

Liner-Lock Folding Knife

Clam: C08CP

Box: C08

- Blade: 7Cr17 stainless steel
- Handle: Checkered aluminum handle/frame with stainless steel Liner-Lock
- Slim design with deep-carry pocket clip
- Length: 3.0 in. blade; 7.25 in. overall
- Weight: 2.7 oz.



LINER-LOCK



LX320

Liner-Lock Folding Knife

Clam: CG004PLCP

Box: CG004PL

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- 3-position pocket clip
- Length: 3.0 in. blade; 7.0 in. overall
- Weight: 2.6 oz.



LINER-LOCK



LX315 / LX311

Liner-Lock Folding Knife

Clam 315: 19687

Box 315: 19688

Clam 311: C36CP

Box 311: C36

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- Deep-carry pocket clip
- Length: 3.25 in. blade; 7.3 in. overall
- Weight: 2.2 oz.



LX240

Liner-Lock Folding Knife

Clam: C07BCP

Box: N/A

- Blade: 7Cr17 stainless steel
- Handle: Stainless steel handle/frame
- Deep-carry pocket clip
- Length: 2.75 in. blade; 6.87 in. overall
- Weight: 4.3 oz.



LX237

Liner-Lock Folding Knife

Clam: 19961

Box: N/A

- Blade: 3Cr13 stainless steel blade
- Handle: Checkered fiberglass-filled nylon
- Deep-carry pocket clip
- Length: 2.7 in. blade; 6.25 in. overall
- Weight: 1.7 oz.



LX225

Liner-Lock Folding Knife

Clam: 19337

Box: 19338

- Blade: 7Cr17 stainless steel
- Handle: Checkered G10 composite on stainless steel frame
- Deep-carry pocket clip
- Length: 2.5 in. blade; 5.87 in. overall
- Weight: 2.1 oz.



LINER-LOCK



LX215

Liner-Lock Folding Knife

Clam: C22CP

Box: C22

- Blade: 7Cr17 stainless steel
- Handle: Stainless steel handle/frame
- Deep-carry pocket clip
- Length: 2.5 in. blade; 6.12 in. overall
- Weight: 3.8 oz.



LINER-LOCK



FX415

Frame-Lock Folding Knife

Clam: 20056

Box: 20057

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- 2-position pocket clip
- Length: 4.0 in. blade; 8.75 in. overall
- Weight: 5.8 oz.



FRAME-LOCK



FX414

Frame-Lock Folding Knife

Clam: 19577

Box: 19578

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- 2-position pocket clip
- Length: 4.0 in. blade; 8.75 in. overall
- Weight: 5.9 oz.



FRAME-LOCK



FX412

Frame-Lock Folding Knife

Clam: 19689

Box: 19690

- Blade: 7Cr17 stainless steel
- Handle: Laminated wood on stainless steel frame
- 2-position pocket clip
- Length: 4.0 in. blade; 8.75 in. overall
- Weight: 6.0 oz.



FRAME-LOCK KNIVES

FX405

Frame-Lock Folding Knife

Clam: 20383

Box: 20384

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- 2-position pocket clip
- Length: 4.0 in. blade; 9.0 in. overall
- Weight: 6.1 oz.



FX352 / FX350

Frame-Lock Folding Knife

Clam 352: 19956

Box 352: 19957

Clam 350: 19792

Box 350: 19793

- Blade: 9Cr17Mov stainless steel
- Titanium Nitride coating on blade and frame
- Handle: CNC contour-machined G10 on stainless steel frame
- Deep-carry pocket clip
- Length: 3.5 in. blade; 8.0 in. overall
- Weight: 5.1 oz.

FX352



Handle detail



Single-sided handle design has exposed frame on reverse

FX350



Handle detail

FRAME-LOCK

FX175

Frame-Lock Folding Knife

Clam: 19787
 Box: 19788

- Blade: 4Cr14 stainless steel
- Handle: Nylon micro-handle on stainless steel frame
- Blade is protected when closed
- Lanyard hole key-ring attachment
- Length: 2.0 in. blade; 5.0 in. overall
- Weight: 1.2 oz.



FRAME-LOCK



Single-sided handle design has exposed frame on reverse

BX316

Lockback Folding Knife

Clam: 20850
 Box: 20851

- Blade: 7Cr17 stainless steel
- Handle: Rubberized non-slip grip over fiberglass-reinforced nylon frame
- 2-position pocket clip
- Length: 3.75 in. blade; 8.625 in. overall
- Weight: 3.6 oz.



LOCKBACK



BX315

Lockback Folding Knife

Clam: 20345
 Box: 20346

- Blade: 9Cr18Mov stainless steel
- Handle: Rubberized non-slip grip over hard nylon frame
- Includes belt sheath
- Length: 3.75 in. blade; 8.625 in. overall
- Weight: 3.6 oz.



LOCKBACK



BX312 / BX311

Lockback Folding Knife

Clam 312: 19491

Box 312: 19492

Clam 311: 19325

Box 311: 19326

- Blade: 7Cr17 stainless steel blade
- Handle: Textured nylon on stainless steel frame
- 3-position pocket clip
- Length: 3.25 in. blade; 7.87 in. overall
- Weight: 4.4 oz.



LOCKBACK



BX312



BX311



BX310

Lockback Folding Knife

Clam: 19641

Box: 19642

- Blade: 7Cr17 stainless steel
- Handle: Checkered fiberglass-filled nylon on stainless steel frame
- 3-position pocket clip
- Length: 3.5 in. blade; 8.0 in. overall
- Weight: 4.6 oz.



LOCKBACK



BX300

Lockback Folding Knife

Clam: 20342

Box: 20344

- Blade: 9Cr18Mov stainless steel
- Handle: Rubberized non-slip grip over hard nylon frame
- Length: 3.0 in. blade; 7.125 in. overall
- Weight: 1.6 oz.



LOCKBACK



BX213

Lockback Folding Knife

Clam: 19958

Box: N/A

- Blade: 3Cr13 stainless steel
- Handle: Fiberglass-filled nylon handle/frame
- Length: 2.5 in. blade; 6 in. overall
- Weight: 1.3 oz.



BX211

Lockback Folding Knife

Clam: 19693

Box: 19694

- Blade: 7Cr17 stainless steel
- Handle: Textured fiberglass-filled nylon handle/frame
- Deep-carry pocket clip
- Length: 2.63 in. blade; 6.33 in. overall
- Weight: 2.3 oz.




FT611

Folding Fillet Knife

Clam: 19705

Box: N/A

- Blade: 5Cr15 stainless steel
- Handle: Checkered, fiberglass-filled nylon
- Length: 5.5 in. blade; 12.5 in. overall
- Weight: 3.6 oz.



LED MULTI-TOOLS




MULTI-TOOL TECH
LIGHTING & TOOLS

LED MULTI-TOOL TECHNOLOGY


LIGHT WHERE YOU NEED IT


COAST multi-tools are packed with practical tools and built-in LED lights to illuminate work surfaces. The spring-loaded pliers head and LED lights make them a great choice for working on the car, under the sink, or other tight spaces.

TECH VIDEO


FUNCTION FEATURES
EASY-ACCESS TOOLS


All implements easily accessible, jaw does not need to be opened.

SPRING LOADED PLIERS


Spring-loaded pliers for easy one-handed pliers operation.

LED155 LED150

LED Pro Pocket Pliers

Clam 155: C5899BCP

Box 155: C5899B

Clam 150: C5899CP

Box 150: C5899

- Two built-in LED lights (one at each end)
- Spring-loaded pliers head with wire cutter
- Knife blade: 3Cr13 stainless steel (locking)
- Also includes scissors, Phillips (1) and flathead (3) screwdriver tips, cap lifter, wire stripper, can opener
- Sure-grip handle inlays
- Blade length: 3.0 in.
- Length: 4.0 in. closed
- Weight: 9.8 oz.
- Batteries: 2 x CR1616 (included)



Includes custom-designed, semi-rigid sheath

LED155




LED150

SPRING-LOADED



Includes custom-designed, semi-rigid sheath



LED145
LED140**LED Pocket Pliers**

Clam 145: C5799BCP

Box 145: C5799B

Clam 140: C5799CP

Box 140: C5799


- Built-in LED light
- Spring-loaded pliers head with wire cutter
- Knife blade: 3Cr13 stainless steel
- Also includes scissors, file blade with wire stripper, Phillips (1) and flathead (3) screwdriver tips, awl, cap lifter, wire stripper, saw blade, can opener
- Sure-grip handle inlays
- Blade length: 1.75 in.
- Length: 3.85 in. closed
- Weight: 10.1 oz.
- Batteries: 2 x CR1220 (included)

Includes custom-designed,
semi-rigid sheath

LED145



LED140

Includes custom-designed,
semi-rigid sheath**EASY-ACCESS
TOOLS**Patent(s) info: www.coastportland.com/patents

LED135
LED130

LED Micro Pliers

Clam 135: C2899BCP

Box 135: C2899B

Clam 130: C2899CP



Box 130: C2899

- Built-in LED light
- Spring-loaded pliers head
- Sure-grip handle inlays
- Blade: 3Cr13 stainless steel
- Also includes wire cutter, main knife blade, saw blade, keyring, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, awl, file with nail pick, can opener
- Blade length: 2.0 in.
- Length: 3.0 in. closed; Weight: 4.3 oz.
- Batteries: 2 x CR927 (included)



LED135

LED130



Patent(s) info: www.coastportland.com/patents

LED122
LED120

LED Pocket Tool

Clam 122: 19346

Box 122: N/A

Clam 120: 19344

Box 120: N/A

- Two built-in LED lights (one at each end)
- Blade: 3Cr13 stainless steel
- Handle: Stainless steel on stainless steel frame
- Two, double-ended bits (Phillips and flat)
- Lanyard ring (foldable)
- Length: 4.0 in. closed; blade length: 3.0 in.
- Weight: 4.6 oz.
- Batteries: 2 x CR1616 (included)



LED122

LED120

NOTE: Not scaled to other multi-tools



DISPLAYS & TECH INDEX

Contact your sales administrator for display assortment information and prices

Rolling Two-Sided Display

Item: 19716

- 71" H x 25.75" W x 24.5" D



Product not included

Power Panel

Item: 19475

- 48" H x 15" W x 6" D (base = 16.5" D)



Product not included

9-Slot Floor Merchandiser

Item: 08-0001

- 45" H x 21" W x 16.625" D



Product not included

Dump Bin Box

Item: DB Box

- 40" H x 16.375" W x 18.375" D



Product not included

Emergency Area Light Quarter Pallet Display

Item: 19443 - 24 pc. C7050CP

Item: 19432 - Empty QP box

- 47.5" H x 22.625" W x 22.5" D



Contact your sales administrator for display assortment information and prices

LED Headlamp Quarter Pallet Display

Item: 19558 - 24 pc. TT7041CP
Item: 19431 - Empty QP box

- 35.5" H x 18.5" W x 21.875" D



Flashlight Quarter Pallet Display

Item: 21291 - 48 pc. 19807
Item: 19680-QP48 - 48 pc. 19680
Item: 20245 - 24 pc. 19807
Item: 19680-QP24 - 24 pc. 19680
Item: 19430 - Empty QP box

- 35.5" H x 18.5" W x 21.875" D



LED Multi-Tool Quarter Pallet Display

Item: 19727 - 28 pc. C5899BCP
Item: 19434 - 28 pc. C5899CP
Item: 19728 - 28 pc. C5799BCP
Item: 19435 - 28 pc. C5799CP
Item: 19429 - Empty QP box

- 35.5" H x 18.5" W x 21.875" D



Wire Counter Display

Item: 19901

- 24.5" H x 18" W x 7.25" D



Product not included

Cardboard Counter Display

Item: 20228

- 13.25" H x 12" W x 12" D



Product not included

Contact your sales administrator for display assortment information and prices

Folding Acrylic Knife / Flashlight Stand

Item: 19537
Item: 19538

- Large: 1.5" H x 5" W x 2" D
- Small: 1.25" H x 3.75" W x 2" D



Product not included

2-Sided Acrylic Display

Item: 20361

- 19.5" H x 12" W x 12" D



Acrylic Flashlight Stand

Item: 099-0001-02

- 2.875" H x 6" W x 2.375" D



Product not included

Rechargeable Powered Displays

Item: 20158 - HP5R / HP7R
Item: 20322 - A22R / A25R

- Fully functional tethered lights
- Back-lit upper display
- 17" H x 12" W x 8.8125" D





	POLYSTEEL 600	POLYSTEEL 400	POLYSTEEL 200	HP7R	HP5R
CLAMPACK #	20767	20765	20763	-	-
BOX #	20768	20766	20764	19221	19220
BATTERY TYPES	4 × AA	4 × AAA	3 × AAA	1 × Lithium Ion / 4 × AAA	1 × Lithium Polymer / 1 × AA
LUMENS Rechargeable HIGH / LOW	-	-	-	300 / 30	185 / 19
LUMENS Alkaline HIGH / MED / LOW	620 / 220 / 64	300 / 105 / 33	250 / 87 / 26	265 / 30	100 / 12
RUN TIME Rechargeable HIGH / LOW	-	-	-	7 h / 33 h	4 h 30 min / 14 h
RUN TIME Alkaline HIGH / MED / LOW	2 h / 4 h 30 min / 34 h	1 h / 3 h 15 min / 15 h	3 h 30 min / 9 h / 35 h	1 h 45 min / 12 h	2 h 30 min / 9 h
BEAM DISTANCE Rechargeable HIGH / LOW	-	-	-	352 m / 111 m	183 m / 56 m
BEAM DISTANCE Alkaline HIGH / LOW	234 m / 134 m / 74 m	194 m / 113 m / 62 m	121 m / 68 m / 37 m	326 m / 111 m	127 m / 45 m
OVERALL SIZE	7.87 in.	5.75 in.	5.0 in.	6.125 in.	4.875 in.
WEIGHT (INCL BATT)	12 oz.	6.4 oz.	4.1 oz.	7.2 oz.	2.6 oz.
PAGE #	18	18	18	22	22



	HP3R	TX7R	A25R	A22R	A9R	A8R
CLAMPACK #	-	-	-	-	-	20423
BOX #	20818	20866	19696	19697	19648	20341
BATTERY TYPES	1 × Lithium Polymer / 2 × AAA	1 × Lithium Ion / 4 × AAA	1 × Lithium Ion / 4 × AAA	1 × Lithium Polymer / 1 × AA	1 × Lithium Polymer	1 × Lithium Polymer
LUMENS Rechargeable HIGH / LOW	245 / 26	325	725 / 80	340 / 36	-	-
LUMENS Alkaline HIGH / LOW	86 / 10	285	515 / 64	135 / 17	-	-
RUN TIME Rechargeable HIGH / LOW	1 h 30 min / 6 h	7 h 30 min	6 h 45 min / 19 h	3 h 15 min / 10 h	3 h	1 h
RUN TIME Alkaline HIGH / LOW	2 h / 26 h	1 h 45 min	2 h / 11 h	2 h 30 min / 8 h	-	-
BEAM DISTANCE Rechargeable HIGH / LOW	93 m / 31 m	366 m	208 m / 67 m	98 m / 31 m	20 m	19 m
BEAM DISTANCE Alkaline HIGH / LOW	55 m / 19 m	341 m	173 m / 62 m	60 m / 22 m	-	-
OVERALL SIZE	5.8125 in.	6.125 in.	6.25 in.	4.75 in.	6.18 in.	4.0 in.
WEIGHT (INCL BATT)	1.8 oz.	7.5 oz.	10.4 oz.	4.6 oz.	2.1 oz.	0.4 oz.
PAGE #	23	23	24	24	25	25



	HP314	HP17	HP17TAC	HP14	HP7	HP5
CLAMPACK #	-	HP8417CP	-	HP8414CP	HP8407CP	HP8405CP
BOX #	19732	-	19281	19280	19279	19277
BATTERY TYPE	4 × D	3 × D	3 × D	4 × AA	4 × AAA	1 × AA
LUMENS HIGH / MED / LOW	1132 / 95	970 / 705 / 41	885 / 35	629 / 252 / 52	360 / 211 / 50	145 / 19
RUN TIME HIGH / MED / LOW	4 h 15 min / 192 h	8 h / 10 h / 200 h	8 h / 200 h	1 h 30 min / 15 h / 56 h	1 h 45 min / 7 h 15 min / 19 h	4 h 30 min / 9 h
BEAM DISTANCE HIGH / MED / LOW	683 m / 185 m	479 m / 410 m / 97 m	476 m / 97 m	248 m / 148 m / 67 m	226 m / 162 m / 75 m	89 m / 30 m
OVERALL SIZE	17.12 in.	13.12 in.	13.12 in.	8.38 in.	5.58 in.	4.65 in.
WEIGHT (INCL BATT)	3.1 lb.	1.9 lb.	1.9 lb.	14.2 oz.	7.2 oz.	3.0 oz.
PAGE #	28	30	30	31	32	32



	HP4	HP3	HP2	HX5	PX25	PX20	PX10
CLAMPACK #	HP8404CP	19534	19532	20769	TT7736CP	19286	-
BOX #	19276	19535	19533	20770	19270	19271	19269
BATTERY TYPE	2 × AAA	2 × AAA	1 × AAA	1 × AA	3 × AAA	3 × AAA	3 × AAA
LUMENS HIGH / LOW	100	105 / 5	85	130 (Alkaline) 125 (NiMH) 345 (Li Ion)	275	155	85
RUN TIME HIGH / LOW	3 h 30 min	2 h 15 min / 3 h 30 min	2 h 45 min	3 h 45 min (Alkaline) 1 h 15 min (NiMH) 45 min (Li Ion)	1 h 30 min	3 h 30 min	8 h 45 min
BEAM DISTANCE HIGH / LOW	55 m	62 m / 13 m	54 m	79 m (Alkaline) 77 m (NiMH) 130 m (Li Ion)	127 m	39 m	34 m
OVERALL SIZE	5.54 in.	5.75 in.	4.0 in.	4.0 in.	4.7 in.	3.95 in.	3.95 in.
WEIGHT (INCL BATT)	2.2 oz.	2.0 oz.	1.4 oz.	2.5 oz.	4.2 oz.	3.2 oz.	3.0 oz.
PAGE #	32	33	33	33	36	36	36



	TX100	TX40	TX10	TX3	G50	G45
CLAMPACK #	20856	TT7736TSCP	TT77364CP	19810	TT8607CP	TT7345SCP
BOX #	20321	19272	-	-	-	-
BATTERY TYPE	2 × AA	3 × AAA	3 × AAA	2 × AAA	3 × AAA	3 × AAA
LUMENS HIGH / LOW	125 (white) 37 (blue) 39 (red)	235	80	75 / 30	230	150
RUN TIME HIGH / LOW	13 h (white) 14 h (blue) 14 h (red)	1 h 45 min	9 h 45 min	3 h 15 min / 4 h 45 min	2 h 30 min	4 h
BEAM DISTANCE HIGH / LOW	96 m (white) 40 m (blue) 39 m (red)	163 m	33 m	85 m / 18 m	165 m	37 m
OVERALL SIZE	5.9 in.	5.94 in.	3.95 in.	5.75 in.	4.8 in.	4.6 in.
WEIGHT (INCL BATT)	4.8 oz.	5.4 oz.	3.0 oz.	2.2 oz.	5.8 oz.	3.6 oz.
PAGE #	38	38	39	39	40	40



	G26	G26 SILVER	G20	G19	G15	G10	G10 SILVER
CLAMPACK #	19680	19807	TT7817CP	19384	TT75331CP	TT7830CP	TT7831CP
BOX #	-	-	19304	19490	-	-	-
BATTERY TYPE	2 × AA	2 × AA	2 × AAA	1 × AAA	1 × AAA	1 × AAA	1 × AAA
LUMENS HIGH / LOW	120	120	-	-	-	-	-
RUN TIME HIGH / LOW	3 h 15 min	3 h 15 min	10 h	2 h 30 min	2 h 30 min	2 h 30 min	2 h 45 min
BEAM DISTANCE HIGH / LOW	32 m	32 m	22 m	20 m	19 m	19 m	24 m
OVERALL SIZE	6.05 in.	6.05 in.	5.65 in.	4.02 in.	3.7 in.	3.7 in.	3.7 in.
WEIGHT (INCL BATT)	3.6 oz.	3.6 oz.	2.4 oz.	2.0 oz.	1.5 oz.	1.2 oz.	1.2 oz.
PAGE #	40	40	41	41	42	42	42



	G5	G5 SILVER	A20	A15	A10	A9	A5
CLAMPACK #	19781	TT7839CP	-	-	-	-	-
BOX #	-	-	19267	19266	19246	19335	19245
BATTERY TYPE	4 × AG5	4 × AG5	3 × AAA	3 × AAA	2 × AAA	3 × AAAA	1 × AAA
LUMENS HIGH / LOW	-	-	171	330 / 49	120	-	-
RUN TIME HIGH / LOW	45 min	45 min	6 h 15 min	2 h 45 min / 21 h	1 h 45 min	12 h	6 h
BEAM DISTANCE HIGH / LOW	24 m	24 m	64 m	131 m / 50 m	57 m	22 m	20 m
OVERALL SIZE	2.45 in.	2.45 in.	3.67 in.	3.9 in.	5.48 in.	7.03 in.	3.74 in.
WEIGHT (INCL BATT)	0.4 oz.	0.4 oz.	4.4 oz.	5.0 oz.	3.2 oz.	2.1 oz.	2.0 oz.
PAGE #	42	42	43	43	44	44	44



	HL8	HL27	HL7R	HL7	HL6
CLAMPACK #	19336	19722	TT7498CP	19284	TT7468CP
BOX #	19649	19721	19274	19273	19268
BATTERY TYPE	4 × AA	3 × AA	3 × Ni-MH Rechargeable	3 × AAA	3 × AAA
LUMENS HIGH / MED / LOW	390 / 120 / 25	330 / 1	240 / 4	285 / 4	285 / 4
RUN TIME HIGH / MED / LOW	2 h / 7 h 30 min / 83 h	8 h 30 min / 93 h	1 h 30 min / 40 h	1 h 30 min / 70 h	1 h 30 min / 70 h
BEAM DISTANCE HIGH / MED / LOW	217 m / 121 m / 55 m	129 m / 7 m	104 m / 13 m	119 m / 13 m	119 m / 13 m
OVERALL SIZE	-	-	-	-	-
WEIGHT (INCL BATT)	12.8 oz.	6.9 oz.	4.4 oz.	4.4 oz.	4.2 oz.
PAGE #	54	55	56	56	57



	HL55	HL44	HL5	HL4	HL3
CLAMPACK #	19995	19994	TT7041CP	19291	TT7454CP
BOX #	-	-	19351	-	-
BATTERY TYPE	3 × AAA	3 × AAA	3 × AAA	3 × AAA	3 × AAA
LUMENS HIGH / LOW	225 / 36	210 / 35	175	145	100
RUN TIME HIGH / LOW	2 h / 28 h	3 h / 30 h	3 h 15 min	4 h	5 h
BEAM DISTANCE HIGH / LOW	51 m / 20 m	46 m / 19 m	56 m	50 m	39 m
OVERALL SIZE	-	-	-	-	-
WEIGHT (INCL BATT)	4.7 oz.	4.7 oz.	4.4 oz.	4.4 oz.	4.4 oz.
PAGE #	57	58	58	59	59



	EAL20	EAL17	EAL15	EAL12	
CLAMPACK #	-	-	C7050CP	-	
BOX #	CE7124HGB	20324	-	20325	
BATTERY TYPE	4 × D	4 × D	4 × C	4 × AA	
RUN TIME HIGH / MED / LOW	80 h	30 h / 50 h	15 h / 33 h / 50 h	22 h / 38 h	
OVERALL SIZE (HEIGHT)	8.25 in.	9.9 in.	7.5 in.	6.125 in.	
WEIGHT (INCL BATT)	36.5 oz.	45.4 oz.	16.0 oz.	11.0 oz.	
PAGE #	64	64	65	65	



	LK375
CLAMPACK #	20794
BOX #	20793
BATTERY TYPE	1 × AAA
LUMENS HIGH / LOW	110 / 29
RUN TIME HIGH / LOW	1 h 30 min / 4 h
BEAM DISTANCE HIGH / LOW	53 m / 27 m
BLADE LENGTH	3.75 in.
OVERALL LENGTH	8.5 in.
WEIGHT	5.2 oz.
LOCK SYSTEM	LINER-LOCK
BLADE MATERIAL	7Cr17
HANDLE MATERIAL	Polycarbonate
PAGE #	71

	TX399	TX395	TX360
CLAMPACK #	20825	20845	20847
BOX #	20826	20846	20848
BLADE LENGTH	3.9 in.	3.9 in.	3.35 in.
OVERALL LENGTH	8.9 in.	8.9 in.	7.875 in.
WEIGHT	3.7 oz.	7.7 oz.	3.3 oz.
LOCK SYSTEM	DOUBLE LOCK	DOUBLE LOCK	DOUBLE LOCK
BLADE MATERIAL	9Cr18Mov	9Cr18Mov	9Cr18Mov
HANDLE MATERIAL	Nylon	Nylon	Nylon
PAGE #	73	73	73



	RX350	RX300	DX356	DX355
CLAMPACK #	20822	20857	19918	19916
BOX #	20823	20858	19919	19917
BLADE LENGTH	3.625 in.	3.0 in.	3.5 in.	3.5 in.
OVERALL LENGTH	8.5 in.	7.125 in.	8.125 in.	8.125 in.
WEIGHT	5.4 oz.	4.8 oz.	5.2 oz.	5.2 oz.
LOCK SYSTEM	MAX-LOCK	MAX-LOCK	DOUBLE LOCK	DOUBLE LOCK
BLADE MATERIAL	7Cr17	7Cr17	9Cr17Mov	9Cr17Mov
HANDLE MATERIAL	Nylon	Nylon	G10	G10
PAGE #	74	74	75	75



	DX350	DX345	DX340	DX338	DX330	DX325	DX320
CLAMPACK #	19357	19339	C19CP	20808	19307	19305	19313
BOX #	19358	19340	C19	20809	19308	19306	19314
BLADE LENGTH	3.5 in.	3.5 in.	3.5 in.	3.5 in.	3.25 in.	3.25 in.	3.25 in.
OVERALL LENGTH	8.25 in.	8.25 in.	8.3125 in.	8.5 in.	8.12 in.	8.12 in.	8.0 in.
WEIGHT	5.0 oz.	5.0 oz.	4.0 oz.	3.8 oz	4.2 oz.	4.2 oz.	3.9 oz.
LOCK SYSTEM	DOUBLE LOCK	DOUBLE LOCK	DOUBLE LOCK	DOUBLE LOCK	DOUBLE LOCK	DOUBLE LOCK	DOUBLE LOCK
BLADE MATERIAL	7Cr17	7Cr17	7Cr17	7Cr17	7Cr17	7Cr17	7Cr17
HANDLE MATERIAL	G10	G10	Nylon	Nylon	Aluminum	Aluminum	Aluminum
PAGE #	75	75	76	76	76	76	77



	DX315	DX312	DX311	LX337	LX330	LX325	LX320
CLAMPACK #	19311	19555	CG006CP	20074	19587	C08CP	CG004PLCP
BOX #	19312	19556	CG006	20075	19588	C08	CG004PL
BLADE LENGTH	3.25 in.	3.35 in.	3.35 in.	3.25 in.	3.75 in.	3.0 in.	3.0 in.
OVERALL LENGTH	7.87 in.	7.75 in.	7.75 in.	7.75 in.	8.75 in.	7.25 in.	7.0 in.
WEIGHT	3.8 oz.	3.6 oz.	3.2 oz.	4.1 oz.	3.7 oz.	2.7 oz.	2.6 oz.
LOCK SYSTEM	DOUBLE LOCK	DOUBLE LOCK	DOUBLE LOCK	LINER-LOCK	LINER-LOCK	LINER-LOCK	LINER-LOCK
BLADE MATERIAL	7Cr17	7Cr17	7Cr17	7Cr17	7Cr17	7Cr17	7Cr17
HANDLE MATERIAL	Aluminum	Wood	Aluminum	Nylon	Nylon	Aluminum	Aluminum
PAGE #	77	77	77	78	78	78	78



	LX315	LX311	LX240	LX237	LX225	LX215	FX415
CLAMPACK #	19687	C36CP	-	19961	19337	C22CP	20056
BOX #	19688	C36	C07B	-	19338	C22	20057
BLADE LENGTH	3.25 in.	3.25 in.	2.75 in.	2.7 in.	2.5 in.	2.5 in.	4.0 in.
OVERALL LENGTH	7.3 in.	7.3 in.	6.87 in.	6.25 in.	5.87 in.	6.12 in.	8.75 in.
WEIGHT	2.2 oz.	2.2 oz.	4.3 oz.	1.7 oz.	2.1 oz.	3.8 oz.	5.8 oz.
LOCK SYSTEM	LINER-LOCK	LINER-LOCK	LINER-LOCK	LINER-LOCK	LINER-LOCK	LINER-LOCK	FRAME-LOCK
BLADE MATERIAL	7Cr17	7Cr17	7Cr17	3Cr13	7Cr17	7Cr17	7Cr17
HANDLE MATERIAL	Nylon	Nylon	Stainless	Nylon	G10	Stainless	Nylon
PAGE #	79	79	79	79	80	80	80



	FX414	FX412	FX405	FX352	FX350	FX175	BX316
CLAMPACK #	19577	19689	20383	19956	19792	19787	20850
BOX #	19578	19690	20384	19957	19793	19788	20851
BLADE LENGTH	4.0 in.	4.0 in.	4.0 in.	3.5 in.	3.5 in.	2.0 in.	3.75 in.
OVERALL LENGTH	8.75 in.	8.75 in.	9.0 in.	8.0 in.	8.0 in.	5.0 in.	8.625 in.
WEIGHT	5.9 oz.	6.0 oz.	6.1 oz.	5.1 oz.	5.1 oz.	1.2 oz.	3.6 oz.
LOCK SYSTEM	FRAME-LOCK	FRAME-LOCK	FRAME-LOCK	FRAME-LOCK	FRAME-LOCK	FRAME-LOCK	LOCKBACK
BLADE MATERIAL	7Cr17	7Cr17	7Cr17	9Cr17Mov	9Cr17Mov	4Cr14	7Cr17
HANDLE MATERIAL	Nylon	Wood	Nylon	G10	G10	Nylon	Non-slip TPR
PAGE #	80	81	81	81	81	82	82



	BX315	BX312	BX311	BX310	BX300	BX213	BX211	FT611
CLAMPACK #	20345	19491	19325	19641	20342	19958	19693	19705
BOX #	20346	19492	19326	19642	20344	-	19694	-
BLADE LENGTH	3.75 in.	3.25 in.	3.25 in.	3.5 in.	3.0 in.	2.5 in.	2.63 in.	5.5 in.
OVERALL LENGTH	8.625 in.	7.87 in.	7.87 in.	8.0 in.	7.125 in.	6.0 in.	6.33 in.	12.5 in.
WEIGHT	3.6 oz.	4.4 oz.	4.4 oz.	4.6 oz.	1.6 oz.	1.3 oz.	2.3 oz.	3.6 oz.
LOCK SYSTEM	LOCKBACK	LOCKBACK	LOCKBACK	LOCKBACK	LOCKBACK	LOCKBACK	LOCKBACK	LINER-LOCK
BLADE MATERIAL	9Cr18Mov	7Cr17	7Cr17	7Cr17	9Cr18Mov	3Cr13	7Cr17	5Cr15
HANDLE MATERIAL	Non-slip TPR	Nylon	Nylon	Nylon	Non-slip TPR	Nylon	Nylon	Nylon
PAGE #	82	83	83	83	83	84	84	84



	LED155	LED150	LED145	LED140
CLAMPACK #	C5899BCP	C5899CP	C5799BCP	C5799CP
BOX #	C5899B	C5899	C5799B	C5799
BATTERY TYPE	2 × CR1616	2 × CR1616	2 × CR1220	2 × CR1220
BLADE LENGTH	3.0 in.	3.0 in.	1.75 in.	1.75 in.
OVERALL LENGTH	4.0 in.	4.0 in.	3.85 in.	3.85 in.
WEIGHT	9.8 oz.	9.8 oz.	10.1 oz.	10.1 oz.
LOCK SYSTEM	LINER-LOCK	LINER-LOCK	-	-
BLADE MATERIAL	3Cr13	3Cr13	3Cr13	3Cr13
HANDLE MATERIAL	Stainless	Stainless	Stainless	Stainless
PAGE #	87	87	88	88



	LED135	LED130	LED122	LED120
CLAMPACK #	C2899BCP	C2899CP	19346	19344
BOX #	C2899B	C2899	-	-
BATTERY TYPE	2 × CR927	2 × CR927	2 × CR1616	2 × CR1616
BLADE LENGTH	2.0 in.	2.0 in.	3.0 in.	3.0 in.
OVERALL LENGTH	3.0 in.	3.0 in.	4.0 in.	4.0 in.
WEIGHT	4.3 oz.	4.3 oz.	4.6 oz.	4.6 oz.
LOCK SYSTEM	-	-	LINER-LOCK	LINER-LOCK
BLADE MATERIAL	3Cr13	3Cr13	3Cr13	3Cr13
HANDLE MATERIAL	Stainless	Stainless	Stainless	Stainless
PAGE #	89	89	89	89





September 2013 - Showing beam distance in Arches National Park.

COAST[®]

LIGHTS • KNIVES • MULTI-TOOLS

8033 NE HOLMAN • PORTLAND, OR 97218
1-800-426-5858 • 503-234-4545 • FAX 503-234-4422

COASTportland.com • sales@COASTportland.com

 / COASTproducts

 / COASTproducts