

CANTECH INDUSTRIES, INC.  
 2222 Eddie Williams Road  
 Johnson City, TN 37601  
 Tel: 423.928.8331, 800.654.3947  
 Fax: 423.928.0311  
 www.cantechtape.com  
 email: cii@cttgroup.com



Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile Adhesion (lbs/in)	(oz/in)	Thickness (mils)	Elongation (%)
65-01	General Purpose Cotton Cloth Tape_Calendered Natural Rubber Adhesive_01-black	Seaming tape, bundling seismic wires, cable wrap or friction tape	35	20	10	4
65-10	General Purpose Cotton Cloth Tape_Calendered Natural Rubber Adhesive_10-white	Finger wrap, seaming tape, bundling seismic wires, electrical friction tape.	35	20	10	4
80-00	UV Stable Permabond Clear Duct Tape_Butyl Rubber Adhesive_00-clear	Critical outdoors application for long term use. Duct sealing, water resistant packaging.	25	80	9	20
85-00	Double-Sided Cotton Cloth Tape_Calendered Natural Rubber Adhesive_Polyethylene Film Liner	Carpet, rug installation, holding & splicing. Reinforce fabric in the garment and furniture industries. Holding polyethylene film to brick and cinderblock walls.	31	30	11	11
88-21	Production Grade Poly Coated Tape_Calendered Natural Rubber Adhesive_21-silver	Duct sealing, water resistant packaging. Good strength, conformability and adhesion. Combination of performance and price.	20	40	6	24
90-21	Aluminum Foil Tape_Acrylic Adhesive_White Silicone Paper Release Liner	Duct sealing and insulating tape. Conformable, high holding power and long term performance.	16	75	3.5	2
91-21	Premium Dead Soft Aluminum Foil Tape - Self Wound (no liner)_ Aggressive Solvent Acrylic Adhesive. Meets Gov't Spec L-T-80B, Mil-T-23397B Amdt 2 Type II	Used for masking in paint stripping and electroplating, water resistant, vapor barrier, metal patching and air leakage protection.	28	55	5	5.5
93-21	Economy Grade Polyethylene Coated Polyester Cloth Tape_Calendered Natural Rubber Adhesive_21-silver	Duct sealing, water resistant packaging. Good strength, conformability and adhesion. Combination of performance and price.	25	40	7	24
94-21	General Purpose Polyethylene Coated Polyester Cloth Tape_Calendered Natural Rubber Adhesive_21-silver	Duct sealing and insulating tape, holding, splicing, seaming and packaging applications.	25	45	8.5	24
94-**	General Purpose Polyethylene Coated Polyester Cloth Tape_Calendered Natural Rubber Adhesive_01-black, 02-red, 03-brown, 05-yellow, 07-green, 08-blue, 10-white, 19-olive	Color coding, book binding, duct sealant and insulating tape. Splicing, seaming, holding and wrapping. Abatement applications.	25	45	8.5	24
96-21	Industrial Grade Polyethylene Coated Polyester Cloth Tape_Calendered Natural Rubber Adhesive_21-silver, meets UL723 Flame Retardant and ASTM E 84.	Duct sealing and insulating tape. Asbestos removal. Sandblasting. Packaging, bundling, holding and wrapping.	30	50	10	24
98-**	Contractor Grade Polyethylene Coated Cloth Tape_Calendered Natural Rubber Adhesive_01 black, 21-silver.	Tape of choice for all asbestos removal projects. Where high tack, high adhesion is required.	25	55	9	28
99-21	Premium Grade Polyethylene Coated Polyester Cloth Tape_Calendered Natural Rubber Adhesive_21-silver	Duct sealing and insulating tape. Sandblasting. Holding, protecting, seaming, repair, bundling, splicing and securing.	38	45	11	20
101-00	Industrial Grade Masking Tape_Crepe Paper_Natural Rubber Adhesive	Paint masking (to 266°F). Plywood patching for plugs and cracks.	16	30	5.8	7

CANTECH INDUSTRIES, INC.

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
102-00	Utility Grade Masking Tape_Crepe Paper_Synthetic Rubber Adhesive	Utility masking. General purpose packaging, bundling and tabbing.	15	50	4.5	12
103-00	Economy Industrial Masking Tape_Crepe Paper_Natural Rubber Adhesive	Light duty packaging, holding and tabbing. Home school and general applications in industry.	18	26	5	12
104-00	Automotive Production Grade Masking Tape_Crepe Paper_Natural Rubber Adhesive	Auto refinish, for non-critical masking. Indoor masking on glass, vinyl and metal surfaces.	17	23	5.8	6
105-00	High Temperature Performance Masking Tape_Crepe Paper_Natural Rubber Adhesive	Bake oven masking (to 266°F). Resist bleed through, heat and solvents. Indoor masking on glass, wood vinyl and metal surfaces.	22	30	7	8
107-00	General Purpose Masking Tape_Crepe Paper_Natural Rubber Adhesive	Most spray and brush masking applications (to 212°F). Commercial and residential painting, holding, splicing, bundling and banding.	16	28	5.4	7
108-08	UV Resistant -30 Day Blue Masking Tape_Crepe Paper_Acrylic Adhesive_08-blue	Outdoor masking to glass, metals and plastics, 30 days clean removal. UV, bleed through and solvent resistant.	23	18	5	8
109-02	Premium Inspection Tape_Crepe Paper_Natural Rubber Adhesive_02-red	Used to mark defects on wall board paneling in the prefabricated home and mobile home industries.	18	18	5	4
109-07	Premium Safe Tack 7 Day Green Masking Tape_Crepe Paper_Natural Rubber Adhesive_07-green	For use on delicate surfaces such as wallpaper, freshly painted surfaces. Used in industry for tabbing paper. Silk screen masking.	18	18	5	5
110-00	Automotive Masking Tape_Crepe Paper_Natural Rubber Adhesive	Auto refinish/repaint, masking (to 176°F).	20	29	6.5	5
111-00	High Performance Automotive Masking Tape_Crepe Paper_Natural Rubber Adhesive	Auto refinish/repaint, masking (to 200°F).	20	29	6.5	5
115-00	Drafting Tape_Crepe Paper_Natural Rubber Adhesive	Holding engineering and architectural drawings.	18	15	7	7
116-00	Edge Pro Fine Line Masking Tape_Acrylic Adhesive	Recommended for delicate surfaces and freshly cured paint. Thin flat paper provides precise line definition. The tape of choice to use in "Faux-Finish" creation.	24	6	4	2.5
120-**	Colored Masking Tape_Crepe Paper_Synthetic Rubber Adhesive_01 black, 02 red, 05 yellow, 07 green, 08 blue, 21 Gray	Identification, stock rotation, color coding, produce bag sealing (Dispenser #860). Dry cleaner marking of stains. Book binding.	18	45	5.5	6
122-00	Production Grade Masking Tape_Crepe Paper_Synthetic Rubber Adhesive	General purpose masking. Used for bundling, holding, binding, splicing, tabbing, labeling and banding.	18	50	5	12
122-11	Premium Paper Box Sealing Tape_Crepe Paper_Ultra-Bond Synthetic Rubber Adhesive	For sealing boxes where recycling corrugated is desirable. Allow for boxes to be opened without use of sharp instruments.	18	70	5.5	11
125-00	High Temperature Masking Tape_Crepe Paper_Natural Rubber Adhesive	Bake-oven masking (to 340°F). Masking of metal surfaces, OEM assembly, epoxy painting. Appliance and furniture industries.	22	35	7.5	8
128-14	Premium 14 DayPro® Blue Masking Tape_Crepe Paper_UV Resistant Natural Rubber Adhesive	For use on delicate surfaces such as wallpaper, freshly painted surfaces. Used in industry for tabbing paper. Holding during hardwood floor installation.	18	18	5.4	4

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
129-00	Premium Painter's Masking Tape_Crepe Paper_UV Resistant Natural Rubber Adhesive	Designed for masking delicate paint applications on drywall, glass, vinyl and metal surfaces. Excellent for household or professional painting jobs.	25	25	6.3	8
131-00	Premium Painter's Masking Tape_Crepe Paper_UV Resistant Natural Rubber Adhesive	Tape will perform well on porous surfaces and in dusty environments; excellent choice for all types of spray painting, household or professional painting jobs.	25	29	6.3	8
134-04	Extensible Flatback Kraft Tape_Natural Rubber Adhesive	Water resistant carton sealing, splicing of papers & corrugated, splicing of carpet underlay, picture framing (pH Neutral).	54	50	6.7	7
139-04	Extensible Flatback Kraft Box Sealing Tape_Ultra-Bond Synthetic Rubber Adhesive	Carton sealing. For sealing boxes where re-cycling corrugated is desirable. Allow for boxes to be opened without use of sharp instruments.	54	56	6.3	4
141-00	Indicator Steam Autoclave Tape_Crepe Paper_Natural Rubber Adhesive_Printed white diagonal lines change to black when sterilization cycle is properly completed.	For use in industrial applications to indicate proper temperature and moisture values have been reached in the sterilization process. Designed primarily for disposable wraps (not for medical use).	20	35	6.5	7
150-03	Teflon Impregnated Fiberglass Cloth_No Adhesive	Used for insulation and release surface on heat sealers and seal bars. FDA approved for "direct" food contact.	70	0	3	5
150-05	Teflon Impregnated Fiberglass Cloth_No Adhesive	Used for insulation and release surface on heat sealers and seal bars. FDA approved for "direct" food contact.	120	0	5	5
150-06	Teflon Impregnated Fiberglass Cloth_No Adhesive	Used for insulation and release surface on heat sealers and seal bars. FDA approved for "direct" food contact.	120	0	6	5
150-10	Teflon Impregnated Fiberglass Cloth_No Adhesive	Used for insulation and release surface on heat sealers and seal bars. FDA approved for "direct" food contact.	200	0	10	5
151-05	Teflon Impregnated Fiberglass Cloth_High Temperature Resistant Silicone Adhesive	Excellent release surface for heat sealers, dielectric sealers (impulse sealers), bag sealers and heavy duty lining of conveyors. FDA approved for "direct" food contact.	70	40	5	5
151-07	Teflon Impregnated Fiberglass Cloth_High Temperature Resistant Silicone Adhesive	Excellent release surface for heat sealers, dielectric sealers (impulse sealers), bag sealers and heavy duty lining of conveyors. FDA approved for "direct" food contact.	120	40	7	5
151-08	Teflon Impregnated Fiberglass Cloth_High Temperature Resistant Silicone Adhesive	Excellent release surface for heat sealers, dielectric sealers (impulse sealers), bag sealers and heavy duty lining of conveyors. FDA approved for "direct" food contact.	125	40	8	5
151-12	Teflon Impregnated Fiberglass Cloth_High Temperature Resistant Silicone Adhesive	Excellent release surface for heat sealers, dielectric sealers (impulse sealers), bag sealers and heavy duty lining of conveyors. FDA approved for "direct" food contact.	200	40	12	5
152-70	Low Density Closed Cell PVC Foam Tape_Solvent Acrylic Adhesive_1/16" thick 150' rolls	Used for shock absorption, sound deadening, cushioning, sealing and gasketing.	-	12	62.5	-

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
152-71	Low Density Closed Cell PVC Film Tape_Solvent Acrylic Adhesive System_1/8" thick 75' rolls	Used for shock absorption, sound deadening, cushioning, sealing and gasketing.	-	12	125	-
152-72	Low Density Closed Cell PVC Film Tape_Solvent Acrylic Adhesive System_3/16" thick 50' rolls	Used for shock absorption, sound deadening, cushioning, sealing and gasketing.	-	12	187.5	-
152-73	Low Density Closed Cell PVC Film Tape_Solvent Acrylic Adhesive System_1/4" thick 35' rolls	Used for shock absorption, sound deadening, cushioning, sealing and gasketing.	-	12	250	-
152-74	Low Density Closed Cell PVC Film Tape_Solvent Acrylic Adhesive System_3/8" thick 30' rolls	Used for shock absorption, sound deadening, cushioning, sealing and gasketing.	-	12	375	-
152-75	Low Density Closed Cell PVC Film Tape_Solvent Acrylic Adhesive System_1/2" thick 25' rolls	Used for shock absorption, sound deadening, cushioning, sealing and gasketing.	-	12	500	-
152-76	Low Density Closed Cell PVC Film Tape_Solvent Acrylic Adhesive System_3/4" thick 15' rolls	Used for shock absorption, sound deadening, cushioning, sealing and gasketing.	-	12	750	-
157-00	Kapton (Polyimide) Film Tape_Silicone Adhesive	Used for gold finger masking, coil insulation and high temperature harness wrapping.	30	25	2.5	60
158-00	Skived Teflon (PTFE) Film Tape_Silicone Adhesive	Used for coil wrapping, harness wrapping and mechanical applications, non-stick surface and roller protection.	30	30	3.5	100
159-00	Skived Teflon (PTFE) Film Tape_Silicone Adhesive	Used for coil wrapping, harness wrapping and mechanical applications, non-stick surface and roller protection.	60	55	13	300
162-12	Ultra-High Molecular Weight Polyethylene (UHMW)_Aggressive Solvent Acrylic Adhesive	Used for friction reduction and abrasion resistance in chutes, wear pads and guide rails.	55	50	12	300
162-70	Ultra-High Molecular Weight Polyethylene (UHMW)_Aggressive Solvent Acrylic Adhesive	Used for friction reduction and abrasion resistance in chutes, wear pads and guide rails.	30	50	7	300
168-01	Anti-Skid Mineral Coated Plastic Film Tape_Natural Rubber Based Adhesive	Used to reduce slipping in areas such as walkways, ramps, stairways and work areas.	N/A	80	7	N/A
174-10	MOPP Utility Strapping_Aqueous Acrylic Adhesive_10- white	Unitizing, strapping, holding, reinforcing, used where UV resistance is required.	90	32	3	35
175-01	MOPP General Purpose Strapping_Aqueous Acrylic Adhesive_01 black	Unitizing, strapping, holding, reinforcing, used where UV resistance is required.	150	32	4.5	40
176-**	MOPP Utility Strapping_Synthetic Rubber Adhesive_01 black, 10 white	Unitizing, strapping, holding, reinforcing.	100	45	3	40
177-**	MOPP General Purpose Strapping_Synthetic Rubber Adhesive_01 black, 10 white	Unitizing, strapping, holding, reinforcing.	150	45	4	40
178-00	Utility BOPP Film Glass Filament Tape_Synthetic Rubber Adhesive	Unitizing, strapping, holding, reinforcing.	60	50	5	6
179-00	General Purpose Filament Tape-BOPP Film Glass Reinforced_Synthetic Rubber Adhesive	Unitizing, strapping, holding, reinforcing.	110	50	5	6

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
180-00	Industrial Grade Filament Tape-BOPP Film Glass Reinforced_Synthetic Rubber Adhesive	Unitizing, strapping, holding, reinforcing.	150	50	5	3
181-00	High Tensile Filament Tape-BOPP Film Glass Reinforced_Synthetic Rubber Adhesive	Unitizing, strapping, holding, reinforcing.	200	50	5.5	2
183-00	Cold Application Filament Tape-BOPP Film Glass Reinforced_Synthetic Rubber Adhesive	Cold applications, food processing.	165	50	5.5	4
184-00	Paper Backed Glass Filament Tape_Synthetic Rubber Adhesive	Meat packing, carpet bundling.	165	50	7.5	3
188-00	High Performance Filament Tape-BOPP Film Glass Reinforced_Synthetic Rubber Adhesive	Unitizing, strapping, holding, reinforcing.	300	55	6	2
191-00	Bi-Directional BOPP Glass Reinforced Filament Tape_Synthetic Rubber Adhesive	Unitizing, strapping, holding, reinforcing.	145/50	80	6.5	5
201-21	Metalized Silver BOPP Film UV Treated Splicing Tape_UV Resistant Solvent Acrylic Adhesive_21-silver	Seaming overlap splice of radiant reflective foil bubble insulation in heated floors or metal buildings. Splicing of foils, papers and films. Splicing of foil radiant barrier in an attic.	30	40	3	140
202-**	FlexPro® Metalized BOPP UV Treated Film Duct Tape_UV Resistant Solvent Acrylic Adhesive_01-black, 21-silver_UL-181B-FX listed	Sealing of flexible air ducts and air connectors.	30	40	3	140
204-**	Contractor's BOPP Film UV Treated Sheathing Tape_UV Resistant Solvent Acrylic Adhesive._02-red, 10-white	For seaming, splicing and repairing tears on house wraps.	30	40	3	125
206-00	Cellulose Tape (Cellophane)_Natural Rubber Adhesive_00-clear	Computer, textile, gift-wrap, office for tabbing, sealing, holding and repairing paper, plastic, corrugated. Anti-static.	25	40	2	20
206-71	Cellulose (Cellophane)_Natural Rubber Adhesive_00-clear_3" Plastic Core	Clean room applications.	25	40	2	20
208-00	Easy Tear BOPP Stationery Tape_Aqueous Acrylic Adhesive	Sealing, protecting, holding.	16	20	1.8	50
212-00	Low-Tack. Cellulose (Cellophane)_Natural Rubber Adhesive_00-clear	Roll end tabbing for gift wrap industry, rivet holding.	25	5	2	20
217-07	Polyester Film_Silicone Adhesive	Used for leader card splicing, splicing of siliconized papers, composite bonding, masking adhesive seams in metal bonding processes and powder coat masking.	23	45	3.6	100
218-21	Silver Metalized Polyester Film Tape_Solvent Acrylic Adhesive	Used in photo-sensing applications, reflection shielding, decorative trim, light reflection, detection of splices and microfilm splicing.	20	29	1.9	100
222-**	PVC Produce Bundling Tape_Natural Rubber Adhesive_00-clear, 01-black, 02-red, 04-tan, 05-yellow, 07-green, 08-blue, 10-white	For use with bag sealing dispenser. Poly bag closure, color coding and packaging.	28	17	2.1	80
223-**	High Performance BOPP Box Sealing Tape - Hand Roll	Heavy duty single strip closure of regular slotted cartons	40	55	3.5	150

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
224-**	High Performance BOPP Box Sealing Tape System Length	Machine applied heavy duty single strip closure of regular slotted cartons	40	55	3.5	150
227-**	High Performance Polyester Box Sealing Tape - Hand Roll_Synthetic Rubber Adhesive	Box sealing, high performance, Meets Rule 41, A-A-1830A, PPP-T-60E. ASTM D5486 Type I Class I and II.	60	55	3	100
228-00	High Performance Polyester Box Sealing Tape - System Length_Synthetic Rubber Adhesive	Box sealing, high performance, Meets Rule 41, A-A-1830A, PPP-T-60E. ASTM D5486 Type I Class I and II.	60	55	3	100
229-**	Heavy Duty BOPP Box Sealing Tape - Hand Roll_Synthetic Rubber Adhesive	Box sealing, high performance.	46	52	3	140
230-00	Heavy Duty BOPP Box Sealing Tape - System Length_Synthetic Rubber Adhesive	Box sealing, high performance.	46	52	3	140
231-**	Premium BOPP Box Sealing Tape - Hand Roll_Synthetic Rubber Adhesive	Box sealing, high performance.	35	50	2.5	140
232-00	Premium BOPP Box Sealing Tape - System Length_Synthetic Rubber Adhesive	Box sealing, high performance.	35	50	2.5	140
233-00	Industrial Grade BOPP Box Sealing Tape - Hand Roll_Synthetic Rubber Adhesive_00-clear	Box sealing, general purpose.	32	48	2.2	140
234-00	Industrial Grade BOPP Box Sealing Tape - System Length_Synthetic Rubber Adhesive_00-clear	Box sealing, general purpose.	32	48	2.2	140
235-**	Production Grade BOPP Box Sealing Tape - Hand Roll_Synthetic Rubber Adhesive_00-clear, 04-tan	Box sealing, general purpose.	30	45	2	100
236-00	Production Grade BOPP Box Sealing Tape - System Length_Synthetic Rubber Adhesive_00-clear	Box sealing, general purpose.	30	45	2	100
237-**	Premium Colored Identification BOPP Box Sealing Tape Hand Roll -01 Black, -02 Red, -04 Tan, -05 Yellow, -07 Green, -08 Blue, -10 White, -11 Orange	Single strip closure RSC cartons, color coding, inventory control, product identification.	30	45	2	100
238-**	Premium Colored Identification BOPP Box Sealing Tape System Length I -01 Black, -02 Red, -04 Tan, -05 Yellow, -07 Green, -08 Blue, -10 White, -11 Orange	Machine applied single strip closure of regular slotted cartons, color coding, inventory control and product identification.	30	45	2	100
239-00	Label Protection BOPP Film Tape_Synthetic Rubber Adhesive	Label protection. Moisture resistant. Dissimilar metal separation.	27	40	1.6	100
240-02	BOPP Pouch Tape_Synthetic Rubber Adhesive_Printed Red	Packing list document attachment. Pouch tape.	22	45	2	140
241-**	Cold Application BOPP Box Sealing Tape - Hand Roll_Quick-Tack_Natural Rubber Adhesive	Cold temperature box sealing, food packing, egg and poultry, pharmaceutical industries.	30	48	2	100
242-**	Cold Application BOPP Box Sealing Tape - System Length_Quick-Tack Synthetic Rubber Adhesive	Cold temperature box sealing, food packing, egg and poultry, pharmaceutical industries.	30	48	2	100
243-**	General Purpose BOPP Box Sealing Tape - Hand Roll_Synthetic Rubber Adhesive_00-clear, 04-Tan	Box sealing, general purpose.	27	44	1.7	100

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
244-00	General Purpose BOPP Box Sealing Tape - System Length_Synthetic Rubber Adhesive_00-clear	Box sealing, general purpose, system length rolls.	27	44	1.7	100
249-**	Polyethylene Masking Tape_Serrated Slit Edges_Calendered Natural Rubber Adhesive_02-red, 10-white	Stucco masking, splicing, patching and repairing, easy tear serrated edge.	23	50	7	85
250-**	Polyethylene Masking Tape_Calendered Natural Rubber Adhesive_00-clear, 01-black, 02-red, 10-white	Stucco masking, splicing, patching and repairing.	23	50	7	85
253-**	USA 25 Micron BOPP Box Sealing Tape - Hand Roll_Synthetic Rubber Adhesive	Box sealing. "Made in USA box"	27	45	1.8	100
254-**	USA 29 Micron BOPP Box Sealing Tape - System Length_Synthetic Rubber Adhesive	Box sealing. "Made in USA box"	30	47	1.9	100
257-00	General Purpose BOPP Box Sealing Tape - Hand Roll_Aqueous Acrylic Adhesive	Box sealing.	20	20	1.8	160
258-00	General Purpose BOPP Box Sealing Tape - System Length_Aqueous Acrylic Adhesive	Box sealing.	20	20	1.8	160
259-00	Production Grade BOPP Box Sealing Tape - Hand Roll_Aqueous Acrylic Adhesive	Box sealing.	24	22	2	160
260-00	Production Grade BOPP Box Sealing Tape - System Length_Aqueous Acrylic Adhesive	Box sealing.	24	22	2	160
261-**	Production Grade BOPP Box Sealing Tape- Hand Roll_Aqueous Acrylic Adhesive_01-Black, 02-Red, 04-Tan, 05-Yellow, 07-Green, 08-Blue, 10-White, 11-Orange	Box sealing.	24	22	2	160
262-**	Production Grade BOPP Box Sealing Tape- System Length_Aqueous Acrylic Adhesive_01-Black, 02-Red, 04-Tan, 05-Yellow, 07-Green, 08-Blue, 10-White, 11-Orange	Box sealing.	24	22	2	160
263-00	Economy Grade BOPP Box Sealing Tape - Hand Roll_Synthetic Rubber Adhesive	Box sealing, general purpose.	24	42	1.6	100
264-00	Economy Grade BOPP Box Sealing Tape - System Length_Synthetic Rubber Adhesive	Box sealing, general purpose.	24	42	1.6	100
265-00	Premium BOPP Box Sealing Tape - Hand Roll_Aqueous Acrylic Adhesive	Box sealing, acrylic adhesive.	32	22	2.5	160
266-00	Premium BOPP Box Sealing Tape - System Length_Aqueous Acrylic Adhesive	Box sealing, acrylic adhesive.	32	22	2.5	160

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
267-00	Heavy Duty BOPP Box Sealing Tape - Hand Roll_Aqueous Acrylic Adhesive	Box sealing, acrylic adhesive.	35	22	3	150
268-00	Heavy Duty BOPP Box Sealing Tape - System Length_Aqueous Acrylic Adhesive	Box sealing, acrylic adhesive.	35	22	3	150
271-30	Stock Printed BOPP Box Sealing Tape "STOP"_Synthetic Rubber Adhesive_White tape printed red	Box sealing, warning message..."If seal is broken or package damaged, check contents before signing receipt".	24	20	2	160
271-31	Stock Printed BOPP Box Sealing Tape "FRAGILE"_SyntheticRubber Adhesive_White tape printed red	Box sealing warning message..."Fragile, handle with care".	24	20	2	160
277-10	Polyethylene Splicing & Masking Tape_Serrated Slit Edges_Calendered Natural Rubber Adhesive_10-white	Recommended for splicing of heavy polyethylene, HIPP® Wrap and asbestos removal.	28	50	9	85
278-10	Polyethylene Splicing & Masking Tape_Calendered Natural Rubber Adhesive_10-white	Recommended for splicing of heavy polyethylene, HIPP® Wrap and asbestos removal.	28	50	9	85
280-00	Matte Polypropylene Tape_Aqueous Acrylic Adhesive	Textile, gift-wrap, office for tabbing, sealing, holding and repairing paper and plastic. Special film allows you to write on and photocopy.	25	10	2	50
307-00	Premium Masking Tape_Crepe Paper_Natural Rubber Adhesive	Shelf ID, protective masking, splicing, light bundling & paint masking.	18	22	5.4	10
320-00	Drywall Joint Tape_Aqueous Acrylic Adhesive	100% glass fiber coated with acrylic adhesive for finishing flat drywall joints and corners, or repairing holes and cracks in walls.	40	4	8	4
330.**	Vinyl Plastic Electrical Tape_Natural Rubber Adhesive_01-black, 02-red, 05-yellow, 07-green, 08-blue, 10-white	Component packaging, electrical insulating, color coding.	20	18	7	225
388-01	Cold Weather Vinyl Electrical Tape_Natural Rubber Adhesive_01-black	Electrical splicing and insulation. Can be used outside in lower temperatures.	22	18	8.5	200
389-01	Vinyl Plastic Electrical Tape_Natural Rubber Adhesive_01-black	All-weather, electrical insulating.	22	18	8	200
401-00	High Performance Double-Sided Non-Woven Tissue Tape_High-Temperature Solvent Acrylic Adhesive	Used to splice heavy paper in the corrugated industry, film and foil.	N/A	54	5.1	4
402-00	Double Sided Polyester Differential Adhesive Tape_Synthetic Rubber Adhesive	Temporary mounting, splicing & recloseable bags.	15	80/10	3	50
403-00	Double-Sided Crepe Paper Tape_Permanent Synthetic Rubber Adhesive	Used for mounting golf grips, general purpose bonding of paper, film and fabrics. Core starting.	21	110	8	7
404-00	Double-Sided Flatback Rope Paper Tape_Synthetic Rubber Adhesive	Used for general purpose splicing, joining and mounting applications.	28	80	6.5	6
406-00	Double-Sided High Tensile Flatback Tape_Natural Rubber Adhesive	Golf grip tape, mounting rubber printing plates, splicing.	52	60	6.6	2.5
407-00	Double-Sided Paper Tape_Natural Rubber Adhesive	Holding, bonding, general purpose.	35	40	5	3
408-00	Double-Sided Polyester Tape_Solvent Acrylic Adhesive	High temperature splicing, mounting of displays, banner tape.	7	80	3.5	20



Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
408-02	Double-Sided Red Polyester Tape_Solvent Acrylic Adhesive	Used for splicing paper, corrugated paper, films, foils and plastics where a visual splice is necessary.	5	90	3.5	100
409-00	Double-Sided UPVC Tape_Solvent Acrylic Adhesive (PMW)	Mounting nameplate on trophies, vinyl extrusions, metal fittings, vertical blinds, automotive trim, display boxes, rubber and plastic trim for weather stripping, decorative furniture trim, appliance nameplates and trim.	10	100	10	5
410-00	Double-Sided Opaque White UPVC_Permanent High Tack Synthetic Rubber Adhesive	Used for holding, mounting, splicing and economy carpet installation.	12	120	7	40
411-00	Double-Sided Paper Tape_Natural Rubber Adhesive	Holding, bonding, general purpose.	35	75	5	3
412-00	Reverse Wound Adhesive Transfer Tape_Solvent Acrylic Adhesive_1" Plastic Core_33m length rolls use with #808-00 ATG Dispenser	Paper splicing, mounting displays, good UV resistance. Permanent adhesion to most paper stock, films and foils.	-	60	2	-
412-30	General Purpose Glass Stabilized Unsupported Adhesive Transfer Tape_Solvent Acrylic Adhesive	Used for laminating, picture framing, mounting and nameplate applications, holding and splicing. Flying splices.	-	44	2	-
413-30	Adhesive Transfer Tape Scrim Reinforced_Solvent Acrylic Adhesive	Used for splicing and permanent bonding of cloth, plastic, wallboard, metal and wood surfaces.	6	70	2.8	-
414-00	General Purpose Adhesive Transfer Tape Glass Stabilized Unsupported_Solvent Acrylic Adhesive	Used for laminating, gap filling, mounting and bonds to many irregular or textured surfaces.	-	60	5	-
414-30	General Purpose Adhesive Transfer Tape Glass Stabilized Unsupported_Solvent Acrylic Adhesive	Used for laminating, gap filling, mounting and bonds to many irregular or textured surfaces.	-	72	5	-
420-10	Double-Coated Closed Cell Polyethylene Foam Tape – 1/8" _High-Performance Solvent Acrylic Adhesive	Used for indoor or outdoor mounting and joining applications to irregular surfaces.	-	125	125	-
421-10	Double-Coated Closed Cell Polyethylene Foam Tape – 1/16" _High-Performance Solvent Acrylic Adhesive	Used for indoor or outdoor mounting and joining applications to irregular surfaces.	-	125	62	-
422-10	Double-Coated Closed Cell Polyethylene Foam Tape – 1/32" _High-Performance Solvent Acrylic Adhesive	Used for indoor or outdoor mounting and joining applications to irregular surfaces.	-	125	31	-
425-25	Very High Bond Translucent White Acrylic Tape_Permanent Solvent Acrylic Adhesive	Used in a variety of applications, including auto-trim attachment, signs, furniture, appliances and construction applications. Replaces mechanical fasteners and welds.	200	90	25	500
425-45	Very High Bond Translucent White Acrylic Tape_Permanent Solvent Acrylic Adhesive	Used in a variety of applications, including auto-trim attachment, signs, furniture, appliances and construction applications. Replaces mechanical fasteners and welds.	200	90	45	500
425-60	Very High Bond Translucent White Acrylic Tape_Permanent Solvent Acrylic Adhesive	Used in a variety of applications, including auto-trim attachment, signs, furniture, appliances and construction applications. Replaces mechanical fasteners and welds.	200	90	60	500

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
425-80	Very High Bond Translucent White Acrylic Tape_Permanent Solvent Acrylic Adhesive	Used in a variety of applications, including auto-trim attachment, signs, furniture, appliances and construction applications. Replaces mechanical fasteners and welds.	200	90	80	500
426-10	Very High Bond Translucent White Acrylic Tape_Permanent Solvent Acrylic Adhesive	Used to bond glass and a variety of applications, including signs, furniture and appliances.	150	60	10	1000
426-20	Very High Bond Translucent Clear Acrylic Tape_Permanent Solvent Acrylic Adhesive	Used to bond glass and a variety of applications, including signs, furniture and appliances.	150	60	20	1000
426-30	Very High Bond Translucent Clear Acrylic Tape_Permanent Solvent Acrylic Adhesive	Used to bond glass and a variety of applications, including signs, furniture and appliances.	150	60	30	1000
426-40	Very High Bond Translucent Clear Acrylic Tape_Permanent Solvent Acrylic Adhesive	Used to bond glass and a variety of applications, including signs, furniture and appliances.	150	60	40	1000
426-60	Very High Bond Translucent Clear Acrylic Solvent Tape_Permanent Acrylic Adhesive	Used to bond glass and a variety of applications, including signs, furniture and appliances.	150	60	60	1000
501-00	Lint Remover Tape_Crepe Paper_Synthetic Rubber Adhesive	Carpet display, textile and dry-cleaning industries for removal of lint and other particles.	18	50	6	6
570-08	PVC Fine Line Masking Tape_Natural Rubber Adhesive_08-blue	Striping, color separations, fine line paint masking.	14	22	5	150
571-**	PVC Solid Colored Vinyl Tape_Natural Rubber Adhesive 11 colors including 8 OSHA colors_00-clear 01-black, 02-red, 03-brown, 05-yellow, 07-green, 08-blue, 10-white, 11-orange, 12-purple, 21-grey	Floor marking, color-coding, decorative marking, pipe wrapping, identification, etc.	18	30	6	160
571-51	PVC Striped Safety Tape_Natural Rubber Adhesive_yellow/black stripes	Identify and alert people to potential danger. Easy to install and maintain. Safety marking.	18	30	7	160
571-52	PVC Striped Safety Tape_Natural Rubber Adhesive_red/white stripes	Identify and alert people to potential danger. Easy to install and maintain. Safety marking.	18	30	7	160
571-53	PVC Striped Safety Tape_Natural Rubber Adhesive_black/white stripes	Identify and alert people to potential danger. Easy to install and maintain. Safety marking.	18	30	7	160
571-54	PVC Striped Safety Tape_Natural Rubber Adhesive_green/white stripes	Identify and alert people to potential danger. Easy to install and maintain. Safety marking.	18	30	7	160
572-05	Yellow PVC Tape_Synthetic Rubber Adhesive_Printed "Natural Gas" in black	Identification and safety tape for areas exposed to "natural gas."	16	36	2.5	170
572-51	Low Stretch Striped Laminated Vinyl Tape_Synthetic Rubber Adhesive_yellow/black stripes	Striping, marking and warnings around machinery and exits.	20	17	9	120
572-52	Low Stretch Striped Laminated Vinyl Tape_Synthetic Rubber Adhesive_red/white stripes	Striping, marking and warnings around machinery and exits.	20	17	9	120
572-53	Low Stretch Striped Laminated Vinyl Tape_Synthetic Rubber Adhesive_black/white stripes	Striping, marking and warnings around machinery and exits.	20	17	9	120
574-**	Solid colored polyethylene tape_Natural Rubber Adhesive_01-black, 02-red, 05-yellow, 10-white	Floor marking, color-coding, decorative marking, pipe wrapping, identification, etc.	20	40	7	85

Tape No.	Description	Principal Uses	Manufacturer's Values Average according to PSTC Test Methods			
			Tensile (lbs/in)	Adhesion (oz/in)	Thickness (mils)	Elongation (%)
578-**	UPVC_Solvent Based Natural Rubber_00-clear, 04-tan, 10-white	Used for light duty packaging, holding, tabbing and splicing. Quiet unwind.	27	25	2.2	60
579-**	UPVC_Solvent Based Natural Rubber_01-black, 02-red, 05-yellow, 07-dark green, 08-light blue, 11-orange, 14-dark blue, 17-light green	Used for color coding, splicing, can/carton sealing, holding and bundling. Heat shrinkable.	34	25	2.4	40
590-**	Engineering Grade Retro-Reflective Urethane Tape_Permanent Solvent Acrylic Adhesive_02-red, 05-yellow, 07-green, 08-blue, 10-white, 11-orange.	Used for decorative and caution striping.	10	24	7	24

