



CLAX SUPER LAUNCH 61A3 Neutralizer-rust remover

Version Number: 1

Preparation date: 2014-08-26

1. IDENTIFICATION

Product name: CLAX SUPER LAUNCH 61A3 Neutralizer-rust remover
Product Code: 93419173, 93419202, 100853503
SDS #: MS0800484
Recommended use:

- Laundry care
- This product is intended to be diluted prior to use

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters
 Diversey, Inc.
 2415 Cascade Pointe Blvd.
 Charlotte, NC 28208
 Phone: 1-888-352-2249
 SDS Internet Address: <https://sds.diversey.com>

Canadian Headquarters
 Diversey Canada, Inc.
 3755 Laird Road Units 8-11
 Mississauga, Ontario L5L 0B3
 Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Acute oral toxicity	Category 4
Acute dermal toxicity	Category 3
Skin corrosion/irritation	Category 1A
Serious eye damage/eye irritation	Category 1



Signal Word:

Danger.

Hazard and Precautionary Statements

TOXIC IN CONTACT WITH SKIN. CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. HARMFUL IF SWALLOWED.

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Do not breathe spray. Wash affected areas thoroughly after handling. Do not eat, drink or smoke when using this product. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. If ingested, hydrofluoric acid may disrupt the body's electrolyte balance by binding essential metal ions such as magnesium and calcium (hypocalcemia) which may disrupt normal heart and nervous system functions. Disruptions to the body's potassium balance (hyperkalemia) may also occur. Effects may appear immediately or be delayed as much as 4 hours after exposure. Death usually results from uncontrollable ventricular fibrillation. Intravenous calcium chloride or gluconate may be indicated to prevent hypocalcemia. Consultation with a medical toxicologist is advised. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Inhalation of hydrofluoric acid fumes may cause swelling in the respiratory tract up to 24 hours after exposure. Persons who have inhaled hydrofluoric acid fumes may need prophylactic oxygen treatment and should be seen by a physician as soon as possible. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing. Wash contaminated clothing before reuse. Store locked up. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: Responders should put on appropriate personal protective equipment to protect themselves before assisting victims. Immediately remove all contaminated clothing. Immediately flush the affected area for five minutes with large

CLAX SUPER LAUNCH 61A3
Neutralizer-rust remover

1 of 5

amounts of water. While the victim is being rinsed with water, have someone call to arrange medical treatment. If the exposure is to the eyes face, groin, or covers a large area, call 911. For smaller exposure,(i.e. A few drops on the skin), call a physician or poison control center. Immediately after flushing with water start massaging 2.5% calcium gluconate gel into the burn site. Responders must wear gloves when applying the gel to prevent secondary hydrofluoric acid burns to their hands. Apply the gel every 15 minutes and massage until pain/redness ceases or professional medical care is available. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas.

Health hazards not otherwise classified (HHNOC) - Not applicable
Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product @ 1:1300

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Hazard and Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS #	Weight %
Fluorosilicic acid	16961-83-4	20 - 30%
hydrofluoric acid	7664-39-3	1 - < 3%

*Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Responders should put on appropriate personal protective equipment to protect themselves before assisting victims. Immediately remove all contaminated clothing. Immediately flush the affected area for five minutes with large amounts of water. While the victim is being rinsed with water, have someone call to arrange medical treatment. If the exposure is to the eyes face, groin, or covers a large area, call 911. For smaller exposure,(i.e. A few drops on the skin), call a physician or poison control center. Immediately after flushing with water start massaging 2.5% calcium gluconate gel into the burn site. Responders must wear gloves when applying the gel to prevent secondary hydrofluoric acid burns to their hands. Apply the gel every 15 minutes and massage until pain/redness ceases or professional medical care is available.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

Eyes: Rinse with plenty of water.

Skin: No specific first aid measures are required

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

5. FIRE-FIGHTING MEASURES

Specific methods: None known

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: None known.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).
Environmental precautions and clean-up methods: Prevent product from entering drains. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS #	ACGIH	OSHA
Fluorosilicic acid	16961-83-4	-	-
hydrofluoric acid	7664-39-3	2 ppm (Ceiling) 0.5 ppm (TWA)	3 ppm (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical-splash goggles.
Hand protection: Chemical-resistant gloves.
Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels

Eye protection: No personal protective equipment required under normal use conditions.
Hand protection: No personal protective equipment required under normal use conditions.
Skin and body protection: No personal protective equipment required under normal use conditions.
Respiratory protection: No personal protective equipment required under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Evaporation Rate: No information available

Odor threshold: No information available.

Melting point/range: Not determined

Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 10.17 lbs/gal 1.22 Kg/L

Bulk density: No information available

Flash point (°F): > 200 °F > 93.3 °C

Viscosity: No information available

VOC: 0 % *

Flammability (Solid or Gas): Not applicable

Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - **lower:** Not determined

@ 1:1300 2.62 > 200 > 93.3

Color: Clear, Colorless

Odor: No Odor/Odorless

Boiling point/range: Not determined

Decomposition temperature: Not determined Not applicable

Solubility: Completely Soluble

Relative Density (relative to water): 1.22

Vapor density: No information available

Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

pH: 0.1

Corrosion to metals: Not corrosive

10. STABILITY AND REACTIVITY

Reactivity:	Not Applicable
Stability:	Stable
Hazardous decomposition products:	Hydrogen fluoride.
Materials to avoid:	Oxidizing agents. Strong bases. Do not mix with any other product or chemical.
Conditions to avoid:	Do not mix with any other product or chemical.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). Hydrofluoric Acid (HF) readily penetrates skin, allowing it to destroy soft tissues and decalcify bone. Acute effects of exposure to concentrated (>5%) HF include severe pain, respiratory irritation, severe eye damage, and pulmonary edema. Exposure to less concentrated solutions may have equally serious but delayed effects. Even though HF is chemically defined as a "weak" acid it has a considerable ability to cause severe tissue damage and death. A splash of HF to more than 25% of the body can be fatal and requires immediate medical attention. Death has been reported from contact with strong HF solutions (>50%) to as little as 10% of the body's surface area. HF spills contacting the eyes, face, groin and large surface areas of the body require immediate medical attention.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Harmful if swallowed. Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include vomiting, nausea, and/or feeling of general unwellness.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): 500

ATE - Dermal (mg/kg): 500

ATE - Inhalatory, mists (mg/l): >20

ATE - Inhalatory, vapors (mg/l): >50

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT (Ground) Bill of Lading Description: UN1778, FLUOROSILICIC ACID SOLUTION, 8, II

IMDG (Ocean) Bill of Lading Description: UN1778, FLUOROSILICIC ACID SOLUTION, 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Fluorosilicic acid	16961-83-4	X	X	-	-
hydrofluoric acid	7664-39-3	X	X	X	X

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
hydrofluoric acid	7664-39-3	1 - < 3%	100	100	X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
hydrofluoric acid	X		

Canadian Regulations

Ingredient(s)	CAS #	NPRI
hydrofluoric acid	7664-39-3	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Diluted Product:

Version Number: 1

Preparation date: 2014-08-26

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: • Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.